

Références bibliographiques

- Abrol, D.P. (1994) Ecology, behaviour and management of social wasp, *Vespa velutina* Smith (Hymenoptera: Vespidae), attacking honeybee colonies. *Korean Journal of Apiculture* **9**, 5–10.
- Abrol, D.P. & Kapil, R.P. (1994) On homing ability and pollination effectiveness of bees. *Mysore Journal of Agricultural Sciences* **28**, 249–252.
- Agüero, F.M.A. & Neves, O.J. (2014) Selectivity of *Metarhizium anisopliae* to *Telenomus podisi* (Hymenoptera: Scelionidae). *Investigación Agraria* **16**, 21–28.
- Akre, R.D., Garnett, W.B., MacDonald, J.F., Greene, A. & Landolt, P. (1976) Behavior and colony development of *Vespula pensylvanica* and *V. atropilosva* (Hymenoptera: Vespidae). *J. Kans. Entomol. Soc.* **49**, 63–84
- Alavanja, M.C.R., Hoppin, J.A. & Kamel, F. (2004) Health effects of chronic pesticide exposure: cancer and neurotoxicity. *Annual Review of Public Health* **25**, 155–197. doi:10.1146/annurev.publhealth.25.101802.123020
- Alcock, J., Barrows, E.M., Gordh, G., Hubbard, L.J., Kirkendall, L., Pyle, D.W., Ponder, T.L. & Zalom, F.G. (1978). The ecology and evolution of male reproductive behaviour in the bees and wasps. *Zool. J. Linn. Soc.* **64**, 293–326. doi:10.1111/j.1096-3642.1978.tb01075.x
- Alean, I.R.I.N.A., 2003. Evaluación de la patogenicidad de diferentes hongos entomopatógenos para el control de la mosca blanca de la yucca *Aleurotrachelus socialis* Bondar (Homoptera: Aleyrodidae) bajo condiciones de invernadero. Grade work presented as final project for the Agricultural Microbiology and Veterinary Grade, Pontificia Universidad Javeriana. Facultad de Ciencias Básicas Microbiología Agrícola y Veterinaria, Colombia.
- Alford, R.A., Brown, G.P., Schwarzkopf, L., Phillips, B.L. & Shine, R. (2009) Comparisons through time and space suggest rapid evolution of dispersal behaviour in an invasive species. *Wildlife Research* **36**, 23. doi:10.1071/WR08021
- Allen, G.R., Kazmer, D.J. & Luck, R.F. (1994) Post-copulatory male behaviour, sperm precedence and multiple mating in a solitary parasitoid wasp. *Animal Behaviour* **48**, 635–644.
- Allendorf, F.W. & Lundquist, L.L. (2003) Introduction: Population Biology, Evolution, and Control of Invasive Species. *Conservation Biology* **17**, 24–30. doi:10.1046/j.1523-1739.2003.02365.x
- Angulo Lucena, R., Farouk Allam, M., Serrano Jimenez, S. & Luisa Jodral Villarejo, M. (2007) A review of environmental exposure to persistent organochlorine residuals during the last fifty years. *Current Drug Safety* **2**, 163–172. doi:10.2174/157488607780598313
- Araújo, V.A., Zama, U., Dolder, H. & Lino-Neto, J.J. (2005) Morphology and Ultrastructure of the Spermatozoa of *Scaptotrigona Xanthotricha* Moure (Hymenoptera, Apidae, Meliponini). *Brazilian Journal Morphological Science* **22**, 137–41.

Références

- Araújo, V.A., Moreira, J. & Lino-Neto, J.J. (2010) Morphology of the male reproductive system of the social wasp, *Polistes versicolor versicolor*, with phylogenetic implications. *Journal of Insect Science* **10** (71), 1-10.
- Arca, M.A. (2012a) Caractérisation génétique et étude comportementale d'une espèce envahissante en France: *Vespa velutina* Lepeletier (Hymenoptera, Vespidae), PhD thesis University Pierre et Marie Curie : 106-111.
- Arca, M.A., Capdevielle-Dulac, C., Villemant, C., Mougel, F., Arnold, G. & Silvain, J.-F. (2012b) Development of microsatellite markers for the yellow-legged Asian hornet, *Vespa velutina*, a major threat for European bees. *Conservation Genetics Resources* **4**, 283–286.
- Arca, M., Mougel, F., Guillemaud, T., Dupas, S., Rome, Q., Perrard, A., Muller, F., Fossoud, A., Capdevielle-Dulac, C., Torres-Leguizamón, M., Chen, X.X., Tan, J.L., Jung, C., Villemant, C., Arnold, G. & Silvain, J.F. (2015) Reconstructing the invasion and the demographic history of the yellow-legged hornet, *Vespa velutina*, in Europe. *Biological Invasions* **17**:2357–2371. doi:10.1007/s10530-015-0880-9
- Arca, M., Papachristoforou, A., Mougel, F., Rortais, A., Monceau, K., Bonnard, O., Tardy, P., Thiéry, D., Silvain, J.-F. & Arnold, G. (2014) Defensive behaviour of *Apis mellifera* against *Vespa velutina* in France: Testing whether European honeybees can develop an effective collective defence against a new predator. *Behavioural Processes* **106**, 122–129. doi:10.1016/j.beproc.2014.05.002
- Archer, M.E. (1994) Taxonomy, distribution and nesting biology of the *Vespa bicolor* group (Hymenoptera: Vespinae). *Entomol. Mon. Mag.* **130**, 149–158
- Archer, M.E. (2004) All-day foraging characteristics of successful underground colonies of *Vespula vulgaris* (Hymenoptera, Vespidae) in England. *Insect. Soc.* **51**, 171–178. doi:10.1007/s00040-004-0731-7
- Asensio, L., Carbonell, T., López-Jimenez, J.A. & López-Llorca, L.V. (2003) Entomopathogenic fungi in soils from Alicante province. *Spanish Journal of Agricultural Research* **1**, 37-45.
- Bacon, O.G., Burton, V.E., Mc Swain, J.W., Marble, V.L., Stanger, W. & Thorp, R.W. (1965) Pollinating alfalfa with leaf-cutting bees (AXT 160). University of California Agricultural Extension Service, Berkeley, CA.
- Baer, B. (2003) Bumblebees as model organisms to study male sexual selection in social insects. *Behavioral Ecology and Sociobiology* **54**, 521–533. doi:10.1007/s00265-003-0673-5
- Baer, B. (2014) Sexual selection in social insects. The evolution of Insects Mating Systems. Ed David M. Shuker and Leigh W. Simmons. *The royal entomological society. Publishing by Oxford University press*, 261-275.
- Baer, B., & Boomsma, J. (2004) Male reproductive investment and queen mating-frequency in fungus-growing ants. *Behavioral Ecology* **15**, 426-432.

Références

- Baer, B. & Schmid-Hempel, P. (1999) Experimental variation in polyandry affects parasite loads and fitness in a bumble-bee. *Nature* **397**, 151-154.
- Baer, B. & Schmid-Hempel, P. (2001) Unexpected consequences of polyandry for parasitism and fitness in the bumblebee, *Bombus terrestris*. *Evolution* **55**, 1639-1643.
- Baguley, T. (2012) Serious Stats: A guide to advanced statistics for the behavioral sciences. Palgrave Macmillan, Palgrave.
- Barbet-Massin, M., Rome, Q., Muller, F., Perrard, A., Villemant, C. & Jiguet, F. (2013) Climate change increases the risk of invasion by the Yellow-legged hornet. *Biological Conservation* **157**, 4–10. doi:10.1016/j.biocon.2012.09.015
- Basili, A.M. & Merwin, A.C. (2016) Kudzu bug wing loading along an invasion gradient.
- Batra, S.W.T. (1980) Sexual behavior and pheromones of the European hornet, *Vespa crabro germana* (Hymenoptera: Vespidae). *Journal of the Kansas Entomological Society* 461–469.
- Baverstock, J., Roy, H.E. & Pell, J.K. (2010) Entomopathogenic fungi and insect behaviour: from unsuspecting hosts to targeted vectors. *BioControl* **55**, 89–102. doi:10.1007/s10526-009-9238-5.
- Beani, L., Dallai, R., Mercati, D., Cappa, F., Giusti, F. & Manfredini, F. (2011) When a parasite breaks all the rules of a colony: morphology and fate of wasps infected by a strepsipteran endoparasite. *Animal Behaviour* **82**, 1305-1312.
- Beani, L., Dessì-Fulgheri, F., Cappa, F. & Toth, A. (2014) The trap of sex in social insects: From the female to the male perspective. *Neuroscience & Biobehavioral Reviews* **46**, 519–533. doi:10.1016/j.neubiorev.2014.09.014
- Beani, L. & Zaccaroni, M. (2015) Experimental male size manipulation in *Polistes dominulus* paper wasps: being the right size. *Ethology, Ecology & Evolution* **27**, 185-199.
- Beckers, R., Goss, S., Deneubourg, J.-L. & Pasteels, J.-M. (1989) Colony size, communication, and ant foraging strategy. *Psyche* **96**, 239–256.
- Beggs, J.R. (2001) The ecological consequences of social wasps (*Vespa* spp.) invading an ecosystem that has an abundant carbohydrate resource. *Biological Conservation* **99**, 17-28.
- Beggs, J.R., Brockerhoff, E.G., Corley, J.C., Kenis, M., Masciocchi, M., Muller, F., Rome, Q. & Villemant, C. (2011) Ecological effects and management of invasive alien Vespidae. *BioControl* **56**, 505–526. doi:10.1007/s10526-011-9389-z
- Beggs, J.R. & Rees, J.S. (1999) Restructuring of Lepidoptera communities by introduced *Vespa* wasps in a New Zealand beech forest. *Oecologia* **119**, 565-571.
- Beggs, J.R. & Wilson, P.R. (1991) The kaka *Nestor meridionalis*, a New Zealand parrot endangered by introduced wasps and mammals. *Biological Conservation* **56**, 23-38.
- Bell, W.J. (1990) Central place foraging. In W.J. Bell (Ed.), *Searching behaviour: The behavioural ecology of finding resources*. Dordrecht: Springer Netherlands, pp. 171–187.

Références

- Berg, T., Røyset, O., Steinnes, E. & Vadset, M. (1995) Atmospheric trace element deposition: principal component analysis of ICP-MS data from moss samples. *Environmental Pollution* **88**, 67-77.
- Berggren, H., Tinnert, J. & Forsman, A. (2012) Spatial sorting may explain evolutionary dynamics of wing polymorphism in pygmy grasshoppers. *Journal of Evolutionary Biology* **25**, 2126–2138. doi:10.1111/j.1420-9101.2012.02592.x
- Bermond, G., Cavigliasso, F., Mallez, S., Spencer, J. & Guillemaud, T. (2014) No Clear Effect of Admixture between Two European Invading Outbreaks of *Diabrotica virgifera virgifera* in Natura. *PLOS ONE* **9**, e106139. doi:10.1371/journal.pone.0106139.
- Berry, W. L., Stimmann, M.W. & Wolf, W.W. (1972). Marking of native phytophagous insects with rubidium: A proposed technique. *Annals of the Entomological Society of America* **65**, 236–38.
- Bessa, A.S., Carvalho, J., Gomes, A. & Santarém, F. (2016) Climate and land-use drivers of invasion: predicting the expansion of *Vespa velutina nigrithorax* into the Iberian Peninsula. *Insect Conservation and Diversity* **9**, 27–37. doi:10.1111/icad.12140
- Bidochka, M.J., Kasperski, J.E. & Wild, G.A. (1998) Occurrence of the entomopathogenic fungi *Metarrhizium anisopliae* and *Beauveria bassiana* in soils from temperate and near-northern habitats. *Canadian Journal of Botany* **76**, 1198–1204.
- Bidochka, M.J. & Small, C. (2005) Phylogeography of *Metarrhizium*, an insect pathogenic fungus. In Insect-Fungal associations: Ecology and evolution. Ed Fernando E. Vega, Meredith Blackwell, Oxford University press, London.
- Billen, J. & Morgan, D.E. (1998) Chapitre 1: Pheromone communication in social insects: Sources and secretions. In “Pheromone Communication in Social Insects, Ants, Wasps, Bees and Termites”. Ed R.K. Vander Meer, M.D. Breed, K.E. Espelie and M.L. Winston. WestviewPress. Pp3-33.
- Blackburn, T.M., Gaston, K.J. & Loder, N. (1999) Geographic gradients in body size: a clarification of Bergmann’s rule. *Diversity and distributions* **5**, 165–174.
- Blackburn, T.M., Cassey, P. & Lockwood, J.L. (2009) The role of species traits in the establishment success of exotic birds. *Global Change Biology* **15**, 2852–2860. doi:10.1111/j.1365-2486.2008.01841.x
- Blay, S. & Yuval, B. (2014) Oviposition and Fertility in the Mediterranean Fruit Fly (Diptera: Tephritidae): Effects of Male and Female Body Size and the Availability of Sperm. *Annals of the Entomological Society of America* **92**, 278-284. doi: 10.1093/aesa/92.2.278.
- Bonavita-Cougourdan, A. & Passera, L. (1978) Etude comparative au moyen d’or radio-actif de l’alimentation des larves d’ouvrières et des larves de reine chez la fourmi *Plagiolepis pygmaea latr*. *Insectes Sociaux* **25**, 275-287.

Références

- Boiteau, G., Meloche, F., Vincent C & Leskey, T.C. (2009) Effectiveness of glues used for harmonic radar tag attachment and impact on survival and behavior of three insect pests. *Environmental Entomology* **38**, 168–175.
- Boomsma, J.J. & Ratnieks, F.L. (1996) Paternity in Eusocial Hymenoptera. *Philosophical transactions of the royal society B* **351**, 947-975; DOI: 10.1098/rstb.1996.0087.
- Boomsma, J.J., Baer, B. & Heinze, J. (2005) The evolution of male traits in social insects. *Annual Review of Entomology* **50**, 395-420.
- Boucias, D.G. & Pendland, J.C., (1991) Chapter 5 : Attachment of Mycopathogens to cuticle. In “The fungal spore and disease initiation in plants and animals”. G.T. Cole et al. (eds.). Springer Science + Business Media New York. Pp101-127.
- Bowen, R.H. (1920) Studies on insect spermatogenesis I. The history of the cytoplasmic components of the sperm in Hemiptera. *The Biological Bulletin* **39**, 316–362.
- Bradshaw, C.J.A., Leroy, B., Bellard, C., Roiz, D., Albert, C., Fournier, A., Barbet-Massin, M., Salles, J.-M., Simard, F. & Courchamp, F. (2016) Massive yet grossly underestimated global costs of invasive insects. *Nature Communications* **7**, 12986. doi:10.1038/ncomms12986
- Bressac, C. & Chevrier, C. (1998) Offspring and sex ratio are independent of sperm management in *Eupelmus orientalis* females. *Journal of Insect Physiology* **44**, 351–359.
- Bressac, C., Damiens, D. & Chevrier, C. (2008). Sperm stock and mating of males in a parasitoid wasp. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution* **310**, 160-166.
- Briese, D.T. (2000) Classical Biological Control. In Sindel, B. (ed.), Australian Weed Management Systems. RG & FJ Richardson Press. Pp. 161-192
- Brown, M.J.F. & Paxton, R.J. (2009) The conservation of bees: a global perspective. *Apidologie* **40**, 410–416.
- Brown, G.P., Phillips, B.L. & Shine, R. (2014) The straight and narrow path: the evolution of straight-line dispersal at a cane toad invasion front. *Proceedings of the Royal Society B: Biological Sciences* **281**, 20141385–20141385. doi:10.1098/rspb.2014.1385
- Buczkowski, G. (2016) The Trojan horse approach for managing invasive ants: a study with Asian needle ants, *Pachycondyla chinensis*. *Biological Invasions* **18**, 507–515. doi:10.1007/s10530-015-1023-z
- Burges, H.D. (1998) Formulation of myoinsecticides. In H. S. Burges (Ed.), Formulation of microbial biopesticides: Benefical microorganisms, nematodes and seed treatments. Dordrecht: Kluwer Academic, 131-185.
- Bushrow, E. S., Fuller, C. L., Cowan, D. P. & Byrd, C. A. (2006) Anatomy of the male reproductive system and sperm morphology in the caterpillar-hunting wasp *Ancistrocerus antilope* (Hymenoptera, Vespidae). *Invertebrate Biology* **125**, 354–362.

Références

- Butt, T. M. (1990) Proceedings and abstracts, Vth International Colloquium on Invertebrate Pathology and Microbial Control, Adelaide, Australia. pp. 121-124.
- Butt, T.M., Ibrahim, L., Ball, B.V. & Clark, S.J. (1994) Pathogenicity of the entomogenous, hyphomycete fungi *Metarhizium anisopliae* and *Beauveria bassiana* against crucifer pests and the honey bee. *Biocontrol Science and Technology* **4**, pp. 207-214.
- Butt, T.M., Ibrahim, L., Clark, S.J. & Beckett, A. (1995) The germination behaviour of *Metarhizium anisopliae* on the surface of aphid and flea beetle cuticles. *Mycological Research* **99**, 945–950.
- Butt, T.M., Jackson, C. & Magan, N. (Eds.) (2001) Fungi as biocontrol agents: progress problems and potential. CABI Pub, Oxon, UK ; New York.
- Cameron, S.A., Lozier, J.D., Strange, J.P., Koch, J.B., Cordes, N., Solter, L.F. & Griswold, T.L. (2011) Patterns of widespread decline in North American bumble bees. *Proceedings of the National Academy of Sciences* **108**, 662–667.
- Campbell, L.M., Fisk, A.T., Wang, X., Köck, G. & Muir, D.C. (2005) Evidence for biomagnification of rubidium in freshwater and marine food webs. *Canadian Journal of Fisheries and Aquatic Sciences* **62**, 1161–1167. doi:10.1139/f05-027
- Cane, J.H., Gerdin, S. & Wife, G. (1983) Mandibular gland secretions of solitary bees (Hymenoptera: Apoidea): potential for nest cell disinfection. *Journal of the Kansas Entomological Society*, 199–204.
- Cañedo, V. & Ames, T. (2004) Manual de laboratorio para el manejo de hongos entomopatógenos .V. Cañedo and T. Ames, Eds. International Center of Potato, Lima, Peru: CIP. <http://doi.org/cip@cgiar.org>, www.cipotato.org
- Canevazzi, N.C.S. & Noll, F.B. (2011) Environmental factors influencing foraging activity in the social wasp *Polybia paulista* (hymenoptera: Vespidae: Epiponini). *Psyche* **2011**, 1-8. doi:10.1155/2011/542487
- Capaldi, E.A., Smith, A.D., Osborne, J.L., Fahrbach, S.E., Farris, S.M., Reynolds, D.R., Edwards, A.S., Martin, A., Robinson, G.E., Poppy, G.M. & Riley, J.R. (2000) Ontogeny of orientation flight in the honeybee revealed by harmonic radar. *Nature* **403**, 537–540. doi:10.1038/35000564
- Carpenter, J.M. & Kojima, J. (1997) Checklist of the species in the subfamily Vespinae (Insecta: Hymenoptera: Vespidae). *Natural history bulletin of Ibaraki University* **1**, 51–92.
- Cassill, D.L. & Tschinkel, W.R. (1995). Allocation of liquid food to larvae via trophallaxis in colonies of the fire ant, *Solenopsis invicta*. *Animal behaviour* **50**, 801-813.
- de Castro, M.M., Guimaraes, D.L. & Prezoto, F. (2011) Influence of environmental factors on the foraging activity of *Mischocyttarus cassununga* (Hymenoptera, Vespidae). *Sociobiology* **58**:138–141.
- Cervo, R., Zacchi, F. & Turillazzi, S. (2000) *Polistes dominulus* (Hymenoptera, Vespidae) invading North America: some hypotheses for its rapid spread. *Insectes Sociaux* **47**, 155–157.

Références

- Cervo, R., Stemmer, C., Castle, W., Queller, D. & Strassman, J.E. (2004). Social parasitism of *Polistes dominulus* by *Polistes nimphus* (Hymenoptera, Vespidae). *Insectes Sociaux* **51**, 101-108.
- Chapin, F.S.III, Zavaleta, E.S., Eviner, V.T., Naylor, R.L., Vitouzek, P.M., Reynolds, H.L., Hooper, D.U., Lavorel, S., Sala, O.E., Hobbie, S.E., Mack, M.C. & Diaz, S. (2000) Consequences of changing biodiversity. *Nature* **405**, 234-242.
- Chapple, D.G., Simmonds, S.M. & Wong, B.B.M. (2012) Can behavioral and personality traits influence the success of unintentional species introductions? *Trends in Ecology & Evolution* **27**, 57–64. doi:10.1016/j.tree.2011.09.010
- Chapman, R.F. (1998) The Insects: Structure and Function, 4th ed. University Press, Cambridge.
- Chapman, R.E. and Bourke, A.F.G. (2001) The influence of sociality on the conservation biology of social insects. *Ecology Letters* **4**, 650–662.
- Chapman, J., Reynolds, D. & Smith, A. (2004) Migratory and foraging movements in beneficial insects: A review of radar monitoring and tracking methods. *International Journal of Pest Management* **50**, 225-232.
- Chevrier, C. & Bressac, C. (2002) Sperm storage and use after multiple mating in *Dinarmus basalis* (Hymenoptera: Pteromalidae). *Journal of Insect Behavior* **15**, 385-398.
- Chirault, M., Lucas, C., Goubault, M., Chevrier, C., Bressac, C. & Lécureuil, C. (2015) A Combined approach to heat stress effect on male fertility in *Nasonia vitripennis*: From the physiological consequences on spermatogenesis to the reproductive adjustment of females mated with stressed males. *PLoS ONE* **10**, e0120656.
- Choi, M.B., Martin, S.J. & Lee, J.W. (2012) Distribution, spread, and impact of the invasive hornet *Vespa velutina* in South Korea. *Journal of Asia-Pacific Entomology* **15**, 473–477. doi:10.1016/j.aspen.2011.11.004.
- Cini, A., Meconcelli, S. & Cervo, R. (2013) Ovarian indexes as indicators of reproductive investment and egg-laying activity in social insects: a comparison among methods. *Insectes Sociaux* **60**, 393–402. doi:10.1007/s00040-013-0305-7.
- Clapperton, B.K., Tilley, J.A.V. & Pierce, R.J. (1996) Distribution and abundance of the Asian paper wasp *Polistes chinensis antennalis* Perez and the Australian paper wasp *P. humilis* (Fab.) (Hymenoptera: Vespidae) in New Zealand, *New Zealand Journal of Zoology*, **23**, 19-25, DOI: 10.1080/03014223.1996.9518062.
- Cohen, A.C. & Jackson, C.G. (1989). Using rubidium to mark a predator, *Geocoris punctipes* (Hemiptera: Lygaeidae). *Journal of Entomological Science* **24**, 57–61.
- Cole, B.J. (1983) Multiple mating and the evolution of social behavior in the hymenoptera. *Behavioral Ecology and Sociobiology* **12**, 191–201. doi:10.1007/BF00290771
- Collett, T.S. & Collett M. (2002) Memory use in insect visual navigation. *Nature Reviews Neuroscience* **3**, 542–552. doi:10.1038/nrn872.

Références

- Colonello, N.A. & Hartfelder, K. (2005) She's my girl - male accessory gland products and their function in the reproductive biology of social bees. *Apidologie* **36**, 231-244.
- Conceição, P. de J., Neves, C.M. de L., Sodré, G. da S., Carvalho, C.A.L. de, Souza, A.V., Ribeiro, G.S. & Pereira, R. de C. (2014) Susceptibility of *Melipona scutellaris* Latreille, 1811 (Hymenoptera: Apidae) worker bees to *Beauveria bassiana* (Bals.) Vuill. *Sociobiology* **61**, 184–188.
- Cook, J.M. & Crozier, R.H. (1995) Sex determination and population biology in the Hymenoptera. *TREE* **10**, 281-286.
- Corsini, E., Liesivuori, J., Vergieva, T., Van Loveren, H. & Colosio, C. (2008) Effects of pesticide exposure on the human immune system. *Human & Experimental Toxicology* **27**, 671–680. doi:10.1177/0960327108094509
- Courchamp, F., Fournier, A., Bellard, C., Bertelsmeier, C., Bonnaud, E., Jeschke, J.M. & Russell, J.C., (2017) Invasion Biology: Specific Problems and Possible Solutions. *Trends in Ecology & Evolution* **32**, 13–22. doi:10.1016/j.tree.2016.11.001
- Couto, A., Monceau, K., Bonnard, O., Thiéry, D. & Sandoz, J.C. (2014) Olfactory attraction of the hornet *Vespa velutina* to honeybee colony odors and pheromones. *PLoS ONE* **9** :e115943. doi:10.1371/journal.pone.0115943.
- Couto, A., Lapeyre, B., Thiéry, D. & Sandoz, J.C. (2016) The olfactory pathway of the hornet *Vespa velutina*: new insights into the evolution of the hymenopteran antennal lobe. *Journal of Comparative Neurology* **6**, 1-25. doi:10.1002/cne.23975
- Cowan, D.P. & Stahlhut, J.K. (2004) Functionally reproductive diploid and haploid males in an inbreeding hymenopteran with complementary sex determination. *Proceedings of the National Academy of Sciences of the United States of America* **101**, 10374–10379.
- Cremer, S., Armitage, S.A.O. & Schmid-Hempel, P. (2007) Social Immunity. *Current Biology* **17**, R693–R702. doi:10.1016/j.cub.2007.06.0081007/s10526-011-9389-z
- Crozier, R.H. & Page, R.E. (1985) On being the right size: male contributions and multiple mating in social Hymenoptera. *Behavioral ecology and sociobiology* **18**, 105–115.
- Crozier R.H. & Fjerdingstad E.J. (2001). Polyandry in social Hymenoptera: disunity in diversity? *Annual Zoology Fennici* **38**, 267–85.
- Cruz-Landim, C. (2001) Organization of the cysts in bee (Hymenoptera, Apidae) testis: number of spermatozoa per cyst. *Iheringia, Série Zoologia* **91**, 183-189.
- Cruz-Landim, C., Beig, D. & De Moraes, R.L.M.S. (1980) The process of differentiation during spermatogenesis in bees (Hymenoptera, Apidae). *Caryologia* **33**, 1-15.
- Cruz, J.D., Giannotti, E., Santos, G.M.M., Bichara Filho, C.C. & Resende, J.J. (2006) Daily activity resources collection by the swarm-founding wasp *Angiopolybia pallens* (Hymenoptera : Vespidae). *Sociobiology* **47**, 829–842.

Références

- Dallai, R. (2014) Overview on spermatogenesis and sperm structure of Hexapoda. *Arthropod structure and development* **43**, 257-90.
- Damiens, D., Bressac, C., Brillard, J.-P. & Chevrier, C. (2002) Qualitative aspects of sperm stock in males and females from *Eupelmus orientalis* and *Dinarmus basalis* (Hymenoptera: Chalcidoidea) as revealed by dual fluorescence. *Physiological Entomology* **27**, 97-102.
- Damiens, D., Bressac, C. & Chevrier, C. (2003) The effect of age on sperm stock and egg laying in the parasitoid wasp, *Dinarmus basalis*. *Journal of Insect Science* **3**, 5.
- Damiens, D. & Boivin, G. (2005) Male reproductive strategy in *Trichogramma evanescens*: sperm production and allocation to females. *Physiological Entomology* **30**, 241–247.
- Dapporto, L., Pansolli, C. & Turillazzi, S. (2004) Hibernation clustering and its consequences for associative nest foundation in *Polistes dominulus* (Hymenoptera Vespidae). *Behavioral Ecology and Sociobiology* **56**. doi:10.1007/s00265-004-0800-y
- Darrouzet E., Gévar J. & Dupont S. (2014) A scientific note about a parasitoid that can parasitize the yellow-legged hornet, *Vespa velutina nigrithorax*, in Europe. *Apidologie* **46**, 130-132.
- Darrouzet, E., Gévar, J., Guignard, Q. & Aron, S. (2015) Production of early diploid males by european colonies of the invasive hornet *Vespa velutina nigrithorax*. *PLOS ONE* **10**, e0136680. doi:10.1371/journal.pone.0136680
- Deby, L. & Tshinkel, R. (1986) Allocation of liquid food to larvae via trophallaxis in colonies of the fire ant, *Solenopsis invicta*. *Mental* 1990, 1994.
- Dechaume-Moncharmont, F.-X., Dornhaus, A., Houston, A.I., McNamara, J.M., Collins, E.J. & Franks, N.R. (2005) The hidden cost of information in collective foraging. *Proceedings of the Royal Society of London B: Biological Sciences* **272**, 1689–1695. doi:10.1098/rspb.2005.3137
- Decourtey, A., Devillers, J., Aupinel, P., Brun, F., Bagnis, C., Fourrier, J. & Gauthier, M. (2011) Honeybee tracking with microchips: a new methodology to measure the effects of pesticides. *Ecotoxicology* **20**, 429. doi:10.1007/s10646-011-0594-4
- DeBach, P. & Rosen, D. (1991) Biological control by natural enemies. Cambridge University Press. CUP Archive. Pp75-84.
- De Kouassi, M. (2001) Les possibilités de la lutte microbiologique, emphase sur le champignon entomopathogène *B. bassiana*. *Vertigo* 2. <https://vertigo.revues.org/4091>; Consulté le 07/08/2017.
- Demichelis, S., Manimo, A. & Porporato, M. (2013) Trovato il primo nido di *Vespa velutina* a Vallecrosia (IM). In: *Communicato Stampa*. Università Degli Studi di Torino, Turin.
- Den Boer, S. P. A., Baer, B. & Boomsma, J. J. (2010) Seminal fluid mediates ejaculate competition in social insects. *Science* **327**, 1506-1509.
- Dew, H.E. & Michener, C.D. (1981) Division of labor among workers of *Polistes metricus* (Hymenoptera: Vespidae): Laboratory foraging activities. *Ins. Soc* **28**, 87–101. doi:10.1007/BF02223625

Références

- Dich, J., Zahm, S.H., Hanberg, A. & Adami, H.-O. (1997) Pesticides and cancer. *Cancer Causes Control* **8**, 420–443. doi:10.1023/A:1018413522959
- Dirks, T.F. & Sternburg, J.G. (1972) Male reproductive system of three species of *Polistes* (Hymenoptera: Vespidae). *International Journal of Insect Morphology and Embryology* **1**, 315–320.
- Dornhaus, A. & Chittka, L. (1999) Insect behaviour: Evolutionary origins of bee dances. *Nature* **401**, 38–38. doi:10.1038/43372.
- Dornhaus, A., Brockmann, A. & Chittka, L. (2003) Bumble bees alert to food with pheromone from tergal gland. *J. Comp. Physiol. A* **189**, 47–51. doi:10.1007/s00359-002-0374-y.
- Doums, C., Moret, Y., Benelli, E. & Schmid-Hempel, P. (2002) Senescence of immune defence in *Bombus* workers. *Ecological Entomology* **27**, 138–144.
- Du Buysson, R. (1903). Monographie des guêpes ou Vespa. *Annales de la Société Entomologique de France* **72**, 260-88.
- Du Buysson, R. (1904 [1905]) Monographie des Guêpes ou Vespa. *Annales de la Société Entomologique de France* **73**, 485-634.
- Duchateau, M. J. & Marriën, J. (1995) Sexual biology of haploid and diploid males in the bumble bee *Bombus terrestris*. *Insectes Sociaux* **42**, 255-266.
- Dukas, R. (1998) Cognitive ecology. The evolutionary ecology of information processing and decision making. R Dukas (Ed.), University of Chicago Press, pp. 129-174.
- Dvořák, L. (2006) Oriental Hornet *Vespa orientalis* Linnaeus, 1771 found in Mexico (Hymenoptera, Vespidae, Vespinae). *Entomological Problems* **36**, 80.
- Eck, R. (1993) Die Verbreitung der *Dolichovespula sylvestris* im Vergleich mit den iibrigen europäischen Arten der Gattung (Hym.: Vespidae). *Mitt. Deutsch. Ges. Allg. Angewand. Ent.* **8**, 919-921.
- Edwards, R. (1980) Social wasps. Their biology and control. Rentokil Limited, W. Sussex, England.
- El Agoze, M., Drezen, J.M., Renault, S. & Periquet, G. (1994) Analysis of the reproductive potential of diploid males in the wasp *Diadromus pulchellus* (Hymenoptera: Ichneumonidae). *Bulletin of Entomological Research* **84**, 213. doi:10.1017/S0007485300039717.
- Elbetieha, A., Da'as, S.I., Khamas, W. & Darmani, H. (2001) Evaluation of the toxic potentials of cypermethrin pesticide on some reproductive and fertility parameters in the male rats. *Archives of Environmental Contamination and Toxicology* **41**, 522–528. doi:10.1007/s002440010280
- Erlandson S. (1988). The distribution of the hornet (*Vespa c. crabro* L.) in northwestern Europe. *Entomol. Tidskrift* **109**, 155–159.
- Fabre, J.H. (1882) Souvenirs entomologiques études sur l'instinct et les moeurs des insectes, 2e Sér., Delagrave, Paris.

Références

- Fargues, J., Robert, P.H. (1985) Persistence of conidia of 4 entomopathogenic Hyphomycetes in soil, *Beauveria bassiana* (Bals) Vuill *Metarhizium anisopliae* (Metsch) Sor, *Nomuraea rileyi* (F) Samson and *Paecilomyces fumosoroseus* Wize, in controlled conditions. *Agronomie* 5, 73–80.
- Fernandes, E.K.K., Rangel, D.E.N., Braga, G.U.L. & Roberts, D.W. (2015) Tolerance of entomopathogenic fungi to ultraviolet radiation: a review on screening of strains and their formulation. *Current Genetics*, 19 May 2015. DOI: 10.1007/s00294-015-0492-z
- Ferron, P. (1978) Biological control of insect pests by entomogenous fungi. *Annual review of entomology* 23, 409–442.
- Fiorillo, B.S., Lino-Neto, J. & Bão, S.N. (2008) Structural and ultrastructural characterization of male reproductive tracts and spermatozoa in fig wasps of the genus *Pegoscapus* (Hymenoptera, Chalcidoidea). *Micron* **39**, 1271–1280. doi:10.1016/j.micron.2008.03.005
- Fjerdingstad E.J. & Boomsma, J.J., (1998) Multiple mating increases the sperm stores of *Atta colombica* leafcutter ant queens. *Behavioral Ecology and Sociobiology* **42**, 257–61.
- Fletcher, D.J. & Ross, K.G. (1985) Regulation of reproduction in eusocial Hymenoptera. *Annual Review of Entomology* **30**, 319-343
- Flynn, R. (2008) A Complex Buzz. *Agricultural Research*, 8-11.
- Forsyth, A. (1978) Studies on the behavioral ecology of polygynous social wasps. Ph.D. thesis, Harvard University, Cambridge, Mass. 226 pp.
- Foster, K.R., Seppä, P., Ratnieks, F.L.W. & Thorén, P.A. (1999) Low paternity in the hornet *Vespa Crabro* indicates that multiple mating by queens is derived in vespine wasps. *Behavioral Ecology and Sociobiology* **46**, 252–57.
- Foster, K. R. & Ratnieks, F.L.W. (2000) Facultative worker policing in a wasp. *Nature* 407, 692-693.
- Foster, R.L., Brunskill, A., Verdirame, D. & O'Donnell, S. (2004) Reproductive physiology, dominance interactions, and division of labour among bumble bee workers. *Physiological Entomology* **29**, 327-334
- Fox, J. & Weisberg, S. (2011) An R companion to applied regression, Second Edition. Thousand Oaks: Sage Publications. 472 p.
- Franceschi, C., Bonafè, M., Valensin, S., Olivieri, F., De Luca, M., Ottaviani, E. & De Benedictis, G. (2000) Inflamm-aging: an evolutionary perspective on immunosenescence. *Annals of the New York Academy of Sciences* **908**, 244–254.
- Franco, K., Rodríguez, S., Cervantes, J. & Barranco, J. (2012) Enzimas y toxinas de hongos entomopatógenos, su aplicación potencial. *Sociedades Rurales, Producción y Medio Ambiente, Mexico* **12**, 143-160.
- Franklin, D.N., Brown, M.A., Datta, S., Cuthbertson, A.G., Budge, G.E. & Keeling, M.J. (2017) Invasion dynamics of Asian hornet, *Vespa velutina* (Hymenoptera: Vespidae): a case study of a commune in south-west France. *Applied Entomology and Zoology* **52**, 221-229.

Références

- Gadagkar, R. & Joshi, N.V. (1983) Quantitative ethology of social wasps : time-activity budgets and caste differentiation in *Ropalidia marginata* (Lep.) (Hymenoptera: vespidae). *Animal behavior* **31**, 26-31.
- Galliot G. & Azoeuf, P. (1979). Etude quantitative des transferts de nourriture entre ouvrières d'âge connu chez l'abeille domestique (*Apis mellifera mellifera L.*). *Insectes sociaux* **26**, 39-49.
- Galliot, G., Montagner, H. & Azoeuf P. (1982). Etude quantitative des transferts de nourriture entre ouvrières et mâles chez l'abeille domestique (*Apis mellifera L.*). *Insectes sociaux* **29**, 268-279.
- Galiulin, R.V., Bashkin, V.N. & Galiulina, R.A. (2002) Review: Behavior of persistent organic pollutants in the air-plant-soil system. *Water, Air, & Soil Pollution* **137**, 179–191. doi:10.1023/A:1015558526154
- García-Fernández, P., Santiago-Álvarez, C. & Quesada-Moraga, E. (2008) Pathogenicity and thermal biology of mitosporic fungi as potential microbial control agents of *Varroa destructor* (Acari: *Mesostigmata*), an ectoparasitic mite of honey bee, *Apis mellifera* (Hymenoptera: Apidae). *Apidologie* **39**, 662–673. doi:10.1051/apido:2008049
- Garnas, R.J., Auger-Rozenberg, M.A., Roques, A., Bertelsmeier, C., Wingfield, M.J., Saccaggi, D.L., Roy, H.E. & Slippers, B. (2016) Complex patterns of global spread in invasive insects: eco-evolutionary and management consequences. *Biological Invasions* **18**, 935–952. doi:10.1007/s10530-016-1082-9
- Gautrais, J., Theraulaz, G., Deneubourg, J.-L. & Anderson, C. (2002) Emergent Polyethism as a Consequence of Increased Colony Size in Insect Societies. *Journal of Theoretical Biology* **215**, 363–373. doi:10.1006/jtbi.2001.2506
- Gerecke, A.C., Schärer, M., Singer, H.P., Müller, S.R., Schwarzenbach, R.P., Sägesser, M., Ochsenbein, U. & Popow, G. (2002) Sources of pesticides in surface waters in Switzerland: pesticide load through waste water treatment plants—current situation and reduction potential. *Chemosphere* **48**, 307–315. doi:10.1016/S0045-6535(02)00080-2
- Gévar, J., Bagnères, A.G., Christidès, J.P. & Darrouzet, E. (2017) Chemical heterogeneity in inbred European population of the invasive hornet *Vespa velutina nigrithorax*. *Journal of Chemical Ecology*. doi:10.1007/s10886-017-0874-4
- Goettel, M.S. & Inglis, G.D. (1997) Fungi: Hyphomycetes. In “A Manual of Techniques in Insect Pathology” (L. Lacey, Ed.). Academic Press, San Diego, CA. pp. 213–249
- Goldarazena, A., de Heredia, I. P., Romon, P., Iturronobeitia, J. C., Gonzalez, M. and Lopez, S. (2015), Spread of the yellow-legged hornet *Vespa velutina nigrithorax* du Buysson (Hymenoptera: Vespidae) across Northern Spain. *EPPO Bull*, **45**, 133–138. doi:10.1111/epp.12185
- Gordon, D.M. (1996) The organization of work in social insect colonies. *Nature* **380**, 121–24.
- Gordon, D.M. (2010) Ant encounters. Interaction networks and colony behavior. Princeton University Press.

Références

- Gotoh, A., Billen, J., Hashim, R. & Ito, F. (2008) Comparison of spermatheca morphology between reproductive and non-reproductive females in social wasps. *Arthropod Structure & Development* **37**, 199–209. doi:10.1016/j.asd.2007.11.001
- Gould JL (1986) The locale map of honey bees: do insects have cognitive maps? *Science* **232**, 861–863.
- Gould, J.L. (1990) *Honey bee cognition*. *Cognition* **37**, 83–104.
- Goulson, D. & Stout, J.C. (2001) Homing ability of the bumblebee *Bombus terrestris* (Hymenoptera: Apidae). *Apidologie* **32**, 105–111.
- Goulson, D. & Osborne, J.L. (2009) Foraging range and the spatial distribution of worker bumble bees. In S. Jarau and M. Hrncir (Eds.), *Food exploitation by social insects, ecological, behavioral, and theoretical approaches* Boca Raton, FL: CRC Press. pp 96-111.
- Goulson, D., Nicholls, E., Botias, C., Rotheray, E.L. (2015) Bee declines driven by combined stress from parasites, pesticides, and lack of flowers. *Science* **347**, 1255957–1255957. doi:10.1126/science.1255957.
- Gracielle., M.S., Fiorillo, B.S., Lino-Neto, J. & Bão, S.N (2009) Morphology of the male reproductive system and spermiogenesis in *Hypanthidium foveolatum* (Alfken, 1930) (Hymenoptera: Apidae: Megachilinae). *Micron* **40**, 419-425.
- Greenleaf, S.S., Williams, N.M., Winfree, R. & Kremen, C. (2007) Bee foraging ranges and their relationship to body size. *Oecologia* **153**, 589–596. doi:10.1007/s00442-007-0752-9.
- Grosso-Silva, J.M. & Maia, M. (2012) *Vespa velutina* Lepeletier, 1836 (Hymenoptera, Vespidae), new species for Portugal. *Arquivos entomológicos* **6**, 53–54.
- Grüter, C. & Farina, W.M. (2009) The honeybee waggle dance: can we follow the steps? *Trends in Ecology & Evolution* **24**, 242–247. doi:10.1016/j.tree.2008.12.007
- Hagler, J. R., Machtley, S. A. & Blackmer, F. (2015) A potential contamination error associated with insect protein mark-capture data. *Entomologia Experimentalis et Applicata* **154**, 28–34. doi:10.1111/eea.12252.
- Hagler, J.R. (2016) A false positive food chain error associated with a generic predator gut content ELISA. *Entomologia Experimentalis et Applicata* **161**, 187-192.
- Hajek, A.E. & St Leger, R.J. (1994) Interactions between fungal pathogens and insect hosts. *Annual review of entomology* **39**, 293–322.
- Harpur, B.A., Sobhani, M., Zayed, A. (2013) A review of the consequences of complementary sex determination and diploid male production on mating failures in the Hymenoptera. *Entomol. Exp. Appl.* **146**, 156–164. doi:10.1111/j.1570-7458.2012.01306.x
- Harris, A.C., 1979. Occurrence and nesting of the yellow oriental paper wasp, *Polistes olivaceus* (Hymenoptera: Vespidae), in New Zealand. *New Zealand Entomologist* **7**, 41–44. doi:10.1080/00779962.1979.9722327

Références

- Harris, R.J. (1991) Diet of the wasps *Vespula vulgaris* and *V. germanica* in honeydew beech forest of the south island. *New Zealand Journal of Ecology* **18**, 159-170.
- Harris, R.J., Moller, H., Tilley, J.A.V. (1991) Weather related differences in attractiveness of protein foods to *Vespula* wasps. *New Zealand journal of ecology* **15**: 167-170.
- Harris, R., Harcourt, S.J., Glare, T.R., Rose, E.A.F. & Nelson, T.J. (2000) Susceptibility of *Vespula vulgaris* (Hymenoptera: Vespidae) to generalist entomopathogenic fungi and their potential for wasp control. *Journal of Invertebrate Pathologie* **75**, 251-258. DOI: 10.1006/jipa.2000.4928
- Hartl, D.L. (1971) Some aspects of natural selection in arrhenotokous populations. *American Zoologist* **11**, 309-325.
- Harvey, C. (2015) Integrated Pest Management in temperate horticulture: seeing the wood for the trees. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources* **10**. doi:10.1079/PAVSNNR201510028
- Hayes, R.O. (1953) Determination of a physiological saline solution for *Aedes aegypti* (L.). *Journal of Economic Entomology* **46**, 624-627.
- He, X., Wang, W., Qin, Q., Zeng, Z., Zhang, S. & Barron, A. (2012) Assessment of flight activity and homing ability in Asian and European honey bee species, *Apis cerana* and *Apis mellifera*, measured with radio frequency tags. *Apidologie* **44**, 38-51.
- Heidinger, I., Meixner, M., Berg, S. & Büchler, R. (2014) Observation of the mating behavior of honey bee (*Apis mellifera L.*) queens using Radio-Frequency Identification (RFID): Factors influencing the duration and frequency of nuptial flights. *Insects* **5**, 513–527. doi:10.3390/insects5030513
- Henry, M., Beguin, M., Requier, F., Rollin, O., Odoux, J.F., Aupinel, P., Aptel, J., Tchamitchian, S. & Decourtye, A. (2012) A common pesticide decreases foraging success and survival in Honey bees. *Science* **336**, 348–350. doi:10.1126/science.1215039.
- Henry, M., Cerrutti, N., Aupinel, P., Decourtye, A., Gayrard, M., Odoux, J.-F., Pissard, A., Rüger, C. & Bretagnolle, V. (2015) Reconciling laboratory and field assessments of neonicotinoid toxicity to honeybees. *Proceedings of the Royal Society B: Biological Sciences* **282**, 20152110. doi:10.1098/rspb.2015.2110
- Hicks, B.J. (2016) Optimization of *Beauveria bassiana* in a spray formulation against *Choristoneura fumiferana*. *Canadian Journal of Forest Research* **46**, 543–547. doi:10.1139/cjfr-2015-0435
- Hölldobler, B. (1978) Ethological aspects of chemical communication in ants. *Advances in the Study of Behavior* **8**, 75–115. doi:10.1016/S0065-3454(08)60132-1
- Hölldobler, B. & Wilson, E.O. (1990) The Ants. Belknap Press, Cambridge, Mass. 732 pp
- Holway, D.A., Suarez, A.V. & Case, T.J. (1998) Loss of intraspecific aggression in the success of a widespread invasive social insect. *Science* **282**: 949–952.
- Holway, D.A. & Suarez, A.V. (1999) Animal behavior: an essential component of invasion biology. *Trends in Ecology and Evolution* **14**, 328–330.

Références

- Houston, A.I. & McNamara, J.M. (1985) A general theory of central place foraging for single-prey loaders. *Theoretical Population Biology* **28**, 233–262.
- Howard, K.J. & Jeanne, R.L. (2005) Shifting foraging strategies in colonies of the social wasp *Polybia occidentalis* (Hymenoptera, Vespidae). *Behav Ecol Sociobiol* **57**, 481–489. doi:10.1007/s00265-004-0871-9
- Howarth, F.G. (1985) Impacts of alien land arthropods and mollusks on native plants and animals in Hawaii. Hawaii's terrestrial ecosystems: preservation and management. *University of Hawaii Press, Honolulu* 149–179.
- Hudina, S., Hock, K. & Žganec, K. (2014) The role of aggression in range expansion and biological invasions. *Current Zoology* **60**, 401–409.
- Hughes, C.R. & Strassmann, J.E. (1988) Age is more important than size in determining dominance among workers in the primitively eusocial wasp, *Polistes instabilis*. *Behaviour* **107**, 1–15.
- Hunt, J.H., Rossi, A.M., Holmberg, N.J., Smith, S.R. & Sherman, W.R. (1998) Nutrients in Social Wasp (Hymenoptera: Vespidae, Polistinae) Honey. *Annals of the Entomological Society of America* **91**, 466–472. doi:10.1093/aesa/91.4.466
- Hunt, J.H., O'donnell, S., Chernoff, N. & Brownie, C. (2001) Observations on Two Neotropical Swarm-Founding Wasps, *Agelaia yepocapa* and *A. panamaensis* (Hymenoptera: Vespidae). *Annals of the Entomological Society of America* **94**, 555–562. doi:10.1603/0013-8746(2001)094[0555:OOTNSF]2.0.CO;2
- Hunter-Fujita, F.R., Entwistle, P.F., Evans, H.F. & Crook, N.E. (1998) Insect viruses and pest management. Ed John Wiley & Sons Ltd, Chichester, UK.
- Ignoffo, C.M. (1992). Environmental Factors Affecting Persistence of Entomopathogens. *The Florida Entomologist*, **75**(4):516-525.
- Ioriatti, C., Anfora, G., Tasin, M., De Cristofaro, A., Witzgall, P. & Lucchi, A. (2011) Chemical Ecology and Management of *Lobesia botrana* (Lepidoptera: Tortricidae). *Journal of Economic Entomology* **104**, 1125–1137. doi:10.1603/EC10443
- Inglis, G.D., Goettel, M.S. & Johnson, D.L. (1995) Influence of Ultraviolet light protectants on persistence of the entomopathogenic fungus, *Beauveria bassiana*. *Biological Control* **5**, 581–590.
- Inglis, G.D., Duke, G.M., Kawchuk L.M. & Goettel, M.S. (1999) Influence of oscillating temperatures on the competitive infection and colonization of the migratory Grasshopper by *Beauveria bassiana* and *Metarhizium flavoviride*. *Biological Control* **14**, 111-120.
- Inglis, G.D., Ivie, T.J., Duke, G.M. & Goettel, M.S. (2000) Influence of rain and conidial formulation on persistence of *Beauveria bassiana* on potato leaves and Colorado Potato Beetle larvae. *Biological Control* **18**, 55–64. doi:10.1006/bcon.1999.0806
- Ishay, J. & Ikan, R. (1967) Glucogenesis in the oriental hornet *Vespa orientalis*. *Ecology* **49**, 169-171.

Références

- Ishay, J. & Ikan, R. (1968) Food exchange between adults and larvae in *Vespa orientalis* F. *Animal Behavior* **16**, 298 – 303.
- Ishay, J.S. & Kirshboim, S. (2000) Ultraviolet B. light stimulates hornet activities-a review. *Semiconductor science and technology* **15**, 704.
- Ishay, J.S. (2004) Hornet flight is generated by solar energy: UV irradiation counteracts anesthetic effects. *Journal of Electron Microscopy* **53**, 623–633.
- Jaccoud, D. B., Hughes, W. O. H. & Jackson, C. W. (1999) The epizootiology of a *Metarhizium* infection in mini-nests of the leaf-cutting ant *Atta sexdens rubropilosa*. *Entomologia Experimentalis et Applicata* **93**, 51–61. doi:10.1046/j.1570-7458.1999.00561.x
- Jackson, T.A., Huger, A.M. & Glare, T.R. (1993) Pathology of amber disease in the New Zealand grass grub *Costelytra zealandica* (Coleoptera: Scarabaeidae). *Journal of Invertebrate Pathology* **61**, 123-130.
- Jackson, S.H., Cowan-Ellsberry, C.E. & Thomas, G. (2009) Use of quantitative structural analysis to predict fish bioconcentration factors for pesticides. *Journal of Agricultural Food and Chemistry* **57**, 958–967. doi:10.1021/jf803064z
- Jacobson, M., Reed, D.K., Crystal, M.M., Moreno, D.S. & Soderstrom, E.L. (1978) Chemistry and biological activity of insect feeding deterrents from certain weed and crop plants. *Entomologia Experimentalis et Applicata* **24**, 448–457. doi:10.1111/j.1570-7458.1978.tb02805.x
- Jaffé, R., Garcia-Gonzalez, F., den Boer, S.P.A., Simmons, L.W. & Baer., B. (2012) Pattern of paternity skew among polyandrous social insects: what can they tell us about the potential for sexual selection? *Evolution* **66**, 3778-3788.
- Jandt, J.M. & Jeanne, R.L. (2005) German Yellowjacket (*Vespula germanica*) foragers use odors inside the nest to find carbohydrate food sources. *Ethology* **111**, 641–651. doi:10.1111/j.1439-0310.2005.01088.x
- Jany, K.D., Haug, H. & Ishay, J. (1978) Trypsin-like endopeptidases from the midguts of the larvae from the hornets of *Vespa orientalis* and *Vespa crabro*. *Insect Biochemistry* **8**, 221-230.
- Jeanne, R.L. (1991) The swarm-founding Polistinae. In: Ross K.G., Matthews R.W. (eds) The social biology of wasps. Comstock, Ithaca, pp 191-231.
- Jeanne, R.L. & Taylor, B.J. (2009) Individual and social foraging in social wasps. Food exploitation by social insects: ecological, behavioral, and theoretical approaches, Ed. Taylor and Francis Group. Pp59-79.
- Jeanne, R.L. & Bermúdez, E.G.C. (1980) Reproductive behavior of a male neotropical social wasp, *Mischocyttarus drewseni* (Hymenoptera: Vespidae). *Journal of the Kansas Entomological Society* **271**–276.
- Jeanson, R., Fewell, J. H. & Gorelick, R. (2007) Emergence of increased division of labor as a function of group size. *Behav Ecol Sociobiol* **62**, 289-298.

Références

- Kacelnik, A., Houston, A.I. & Schmid-Hempel, P. (1986) Central place foraging in honey bees: the effect of travel time and nectar flow on crop filling. *Behavioral Ecology and Sociobiology* **19**, 19-24.
- Kanga, L.H.B., Jones, W.A. & James, R.R. (2003) Field trials using the fungal pathogen, *Metarhizium anisopliae* (Deuteromycetes: Hyphomycetes) to control the ectoparasitic mite, *Varroa destructor* (Acari: Varroidae) in honey bee, *Apis mellifera* (Hymenoptera: Apidae) colonies. *Journal of economic entomology* **96**, 1091–1099.
- Karsai, I., Péntes, Z. & Wenzel, J.W. (1996) Dynamics of colony development in *Polistes dominulus*: a modeling approach. *Behav Ecol Sociobiol* **39**, 97–105. doi:10.1007/s002650050271
- Kasper, M.L., Reeson, A.F., Mackay, D.A. & Austin, A.D. (2008) Environmental factors influencing daily foraging activity of *Vespa germanica* (hymenoptera, Vespidae) in Mediterranean Australia. *Insectes Sociaux* **55**, 288–295. doi:10.1007/s00040-008-1004-7
- Kasuya, E. (1983) Social behaviour of early males of Japanese paper wasp, *Polistes chinensis antennalis* (Hymenoptera: Vespidae). *Researches on population ecology* **25**, 143-149.
- Keeling, M.J., Franklin, D.N., Datta, S., Brown, M.A. & Budge, G.E. (2017) Predicting the spread of the Asian hornet (*Vespa velutina*) following its incursion into Great Britain. *Scientific Reports* **7**. doi:10.1038/s41598-017-06212-0
- Kelber, A., Jonsson, F., Wallén, R., Warrant, E., Kornfeldt, T. & Baird, E. (2011) Hornets can fly at night without obvious adaptations of eyes and ocelli. *PLoS ONE* **6**, e21892. doi:10.1371/journal.pone.0021892
- Keller, L. & Reeve, H.K. (1994) Genetic Variability, Queen Number, and Polyandry in Social Hymenoptera. *Evolution* **48**, 694-704. doi: 10.2307/2410479.
- Kennedy, P.J. & Young, M.R. (1993) Radar tracking the movements of ground beetles in a farmland mosaic. *Aberdeen Letters in Ecology* **6**, 18-19.
- Kim, J.K., Choi, M.B. & Moon, T. Y. (2006) Occurrence of *Vespa velutina* Lepeletier from Korea, and a revised key for Korean Vespa species (Hymenoptera: Vespidae). *Entomological Research* **36**, 112-115.
- Mc Kinlay, R., Plant, J.A., Bell, J.N.B. & Voulvoulis, N. (2008) Endocrine disrupting pesticides: implications for risk assessment. *Environment International* **34**, 168–183. doi:10.1016/j.envint.2007.07.013
- Kissling, W.D., Pattemore, D.E. & Hagen, M. (2014) Challenges and prospects in the telemetry of insects. *Biological Reviews* **89**, 511-530.
- Kluser, S., Neumann, P., Chauzat, M.P., Pettis, J.S., Peduzzi, P., Witt, R., Fernandez, N. et al. (2010) Global honey bee colony disorders and other threats to insect pollinators. <http://archive-ouverte.unige.ch/unige:32258>.

Références

- Kovacs, J. & Goodisman, M.A.D. (2012) Effects of size, shape, genotype, and mating status on queen overwintering survival in the social wasp *Vespula maculifrons*. *Environmental Entomology* **41**, 1612–1620. doi: 10.1603/EN12023
- Kpindou, O.K.D., Sinsin, B. & Kooymen, C. (2007) Impact de *Metarhizium anisopliae* var *acridum*, sur les hyménoptères : cas de *Anagyrus lopezi* (De Santis) et de *Cotesia Plutellae* (Kurdjumov). *Annales des Sciences Agronomiques* **9**. doi:10.4314/asab.v9i1.43221
- Krieger, M.J.B., Ross, K.G., Chang, C.W.Y. & Keller L. (1999) Frequency and origin of triploidy in the fire ant *Solenopsis invicta*. *Heredity* **82**, 142–150.
- Krzeminski, S.F., Gilbert, J.T. & Ritts, J.A. (1977) A pharmacokinetic model for predicting pesticide residues in fish. *Archives Environmental Contamination and Toxicology* **5**, 157–166. doi:10.1007/BF02220898
- Kwak, E.S., Just, A., Whyatt, R. & Miller, R.L. (2009) Phthalates, pesticides, and bisphenol-a exposure and the development of nonoccupational asthma and allergies: How valid are the links? *Open Allergy J* **2**, 45–50. doi:10.2174/1874838400902010045
- Lacey, L.A., Grzywacz, D., Shapiro-Ilan, D.I., Frutos, R., Brownbridge, M., & Goettel, M.S. (2015) Insect pathogens as biological control agents: Back to the future. *Journal of Invertebrate Pathology* **132**, 1–41.
- Lacoume, S., Bressac, C. & Chevrier, C. (2009) Male hypofertility induced by Paraquat consumption in the non-target parasitoid *Anisopteromalus calandrae* (Hymenoptera: Pteromalidae). *Biological control* **49**, 214–218.
- Landolt, P.J., Monzon Sierra, J., Unruh, T.R. & Zack, R.S. (2010) A new species of *Vespula*, and first record of *Vespa crabro* L. (Hymenoptera: Vespidae) from Guatemala, Central America. *Zootaxa* **2629**, 61–68.
- Langowska, A., Ekner, A., Skorka, P., Tobolka, M. & Tryjanowski, P. (2010) Nest-site tenacy and dispersal patterns of *Vespa crabro* colonies located in bird boxes. *Sociobiology* **56**, 375–382.
- LeBlanc, G.A., Bain, L.J. & Wilson, V.S. (1997) Pesticides: multiple mechanisms of demasculinization. *Molecular and cellular endocrinology* **126**, 1–5.
- Le Conte, Y., Ellis, M. & Ritter, W. (2010) Varroa mites and honey bee health: can Varroa explain part of the colony losses? *Apidologie* **41**, 353–363.
- Le Masne, G. (1980) Remarques sur les relations entre adultes et stades jeunes chez les insectes sociaux. *Reproduction Nutrition Développement* **20**, 779–790.
- Le Moult, L. (1890) le parasite du hanneton. CR de l'Académie des Sciences, p. 653–655
- Letsinger, J. T. & Gromko, M. H. (1985) The role of sperm numbers in sperm competition and female remating in *Drosophila melanogaster*. *Genetica* **66**, 195–202.
- Liebert, A.E., Wilson-Rich, N., Johnson, C.E. & Starks, P.T. (2010) Sexual interactions and nestmate recognition in invasive populations of *Polistes dominulus* wasps. *Insectes Sociaux* **57**, 457–463.

Références

- Lihoreau, M., Raine, N.E., Reynolds, A.M., Stelzer, R.J., Lim, K.S., Smith, A.D., Osborne, J.L. & Chittka, L. (2012) Radar tracking and motion-sensitive cameras on flowers reveal the development of pollinator multi-destination routes over large spatial scales. *PLoS Biology* **10**, e1001392. doi:10.1371/journal.pbio.1001392.
- Lombaert, E., Estoup, A., Facon, B., Joubard, B., Grégoire, J.-C., Jannin, A., Blin, A. & Guillemaud, T. (2014) Rapid increase in dispersal during range expansion in the invasive ladybird *Harmonia axyridis*. *Journal of Evolutionary Biology* **27**, 508–517. doi:10.1111/jeb.12316
- Long, R. F., Corbett, A., Lamb, C., Reberg-Horton, C., Chandler, J., & Stimmann, M. (1998). Beneficial insects move from flowering plants to nearby crops. *California Agriculture* **52**, 23–26. doi:10.3733/ca.v052n05p23.
- Loope, K.J., Chien, C. & Juhl, M. (2014) Colony size is linked to paternity frequency and paternity skew in yellowjacket wasps and hornets. *BMC Evolutionary Biology* **14**, 277.
- López, S., González, M. & Goldarazena, A. (2011) *Vespa velutina* Lepeletier, 1836 (Hymenoptera: Vespidae): first records in Iberian Peninsula. *EPPO Bulletin* **41**, 439–441.
- Lord, J.C. (2001) Response of the Wasp *Cephalonomia tarsalis* (Hymenoptera: Bethylidae) to *Beauveria bassiana* (Hyphomycetes: Moniliales) as Free Conidia or Infection in Its Host, the Sawtoothed Grain Beetle, *Oryzaephilus surinamensis* (Coleoptera: Silvanidae). *Biological Control* **21**, 300–304. doi:10.1006/bcon.2001.0942
- Loreto, R.G. & Hughes, D.P. (2016) Disease dynamics in ants, in: Advances in genetics. Elsevier, pp. 287–306.
- Mack, R.N., Simberloff, D., Mark Lonsdale, W., Evans, H., Clout, M. & Bazzaz, F.A. (2000) Biotic invasions: causes, epidemiology, global consequences, and control. *Ecological Applications* **10**, 689–710. doi:10.1890/1051-0761(2000)010[0689:BICEGC]2.0.CO;2.
- Mack, P. D., Priest, N.K. & Promislow, D.E.L. (2003) Female age and sperm competition: last-male precedence declines as female age increases. *Proceedings of the Royal Society B* **270**, 159–165.
- Makino, S. (2016) Post-hibernation ovary development in queens of the Japanese giant hornet *Vespa mandarinia* (Hymenoptera: Vespidae). *Entomological Science*, doi: 10.1111/ens.12205.
- Makino, S. & Yamane, S. (1997) Nest contents and colonial adult productivity in a common hornet, *Vespa simillima simillima* Smith, in Northern Japan (Hymenoptera, Vespidae). *Japanese Journal of Entomology* **65**, 47–54.
- Makino, S. 'ichi, Kawashima, M. & Kosaka, H. (2011) First record of occurrence of *Xenos moutoni* (Strepsiptera; Stylopidae), an important parasite of hornets (Hymenoptera: Vespidae: Vespa), in Korea. *Journal of Asia-Pacific Entomology* **14**, 137–139. doi:10.1016/j.aspen.2010.09.001
- Mancini, K., Lino-Neto, J., Dolder, H. & Dallai, R. (2009) Sperm ultrastructure of the European hornet *Vespa crabro* (Linnaeus, 1758) (Hymenoptera: Vespidae). *Arthropod Structure Development* **38**, 54–59.

Références

- Manley, R., Boots, M. & Wilfert, L. (2015) Emerging viral disease risk to pollinating insects: ecological, evolutionary and anthropogenic factors. *Journal of Applied Ecology*, **52**, 331-340. DOI: 10.1111/1365-2664.12385
- Marden, J.H. (2000) Variability in the size, composition, and function of insect flight muscles. *Annual Review of Physiology* **62**, 157–178.
- Markin, G.P. (1970) Food distribution within laboratory colonies of the argentine ant, *Tridomyrmex humilis* (Mayr). *Insectes sociaux* **2**, 127-158.
- Marques, G. (2012). Biodiversidade functional do solo: qual o papel dos fungos entomopatogénicos na protecção da vinha? CITAB Presentation, University if Trás-os-Montes e Alto Douro, Portugal 28th October.
- Martin, S.J. (1991) A simulation model for colony development of the hornet *Vespa simillima* (Hymenoptera, Vespidae). *Japan Journal of Entomology* **59**, 105-124.
- Martin, S.J. (1992) Development of the embryo nest of *Vespa affinis* (Hymenoptera: Vespidae) in Southern Japan. *Insectes Sociaux* **39**, 45-57.
- Martin, S.J. (1993) Weight changes in adult hornets, *Vespa affinis* (Hymenoptera: Vespidae). *Insectes sociaux* **40**, 363–368.
- Martin, J.C., Brinquin, A.S., Morel, E., Tabone, E., & Guerin, M. (2015). New regulation tool for borer boxwood *Cydalima perspectalis* (Walker): a highly attractive pheromone and trap kit. In *5th Conférence Internationale sur les Méthodes Alternatives de Protection des Plantes, 11-13 mars, 2015, Nouveau Siège, Lille, France* (pp. 701-709). Association Française de Protection des Plantes (AFPP).
- Martins, G.F., Serrão, J.E. & Schmidt, K. (2005). Notes on the spermatheca of Vespidae and Sphecidae (Hymenoptera). *Sociobiology* **45**, 1-9.
- Martson, L.V. & Voronina, V.M. (1976) Experimental study of the effect of a series of phosphoro organic pesticides (Dipterex and Imidan) on embryogenesis. *Environmental Health Perspectives* **13**, 121–124.
- Maschwitz, U., Beier, W., Dietrich, I. & Keidel, W. (1974) Futterverständigung bei Wespen der Gattung Paravespila. *Naturwissenschaften* **11**:506.
- Matsuura, M. (1966) Notes on the hibernating habits of the Vespa in Japan (Hymenoptera, Vespidae). *Kontyû* **34**, 52-67.
- Matsuura, M. (1984) Comparative biology of the five Japanese species of the Genus Vespa (Hymenoptera: Vespidae). *Bull. Fac. Agr. Mie Univ.* **69**, 1-151.
- Matsuura, M. (1988) Ecological study on Vespine wasps (Hymenoptera: Vespidae) attacking Honeybee colonies. 1. Seasonal changes in the frequency of visits to apiaries by vespine wasps and damages inflicted, especially in the absence of artificial protection. *Applied Entomology and Zoology* **23**, 428-440.

Références

- Matsuura, M. (1991) Vespa and Provespa. In “The social biology of wasps”. Ross KG & Matthews RW, eds. Ithaca, NY: Cornell Univ. Press. pp 232–262.
- Matsuura, M. & Sakagami, S.F. (1973) A bionomic sketch of the giant Hornet, *Vespa mandarinia*, a serious pest for Japanese apiculture. *Journal of The Faculty of Science Hokkaido University* **19**, 125-162.
- Matsuura, M. & Yamane, S. (1990) Biology of vespine wasps. Berlin: Springer-Verlag.
- Matsuura, M., Yamane, S. & Sakagami, S.F. (1990) Chapter 5: Foraging behavior. Biology of the vespine wasps. Springer, Berlin u.a. pp98-138.
- Mburu, D.M., Maniania, N.K. & Hassanali, A. (2013) Comparison of volatile blends and nucleotide sequences of two *Beauveria bassiana* isolates of different virulence and repellency towards the termite *Macrotermes michealseni*. *Journal of Chemical Ecology* **39**, 101–108. doi:10.1007/s10886-012-0207-6
- Mburu, D.M., Ndung'u, M.W., Maniania, N.K. & Hassanali, A. (2011) Comparison of volatile blends and gene sequences of two isolates of *Metarhizium anisopliae* of different virulence and repellency toward the termite *Macrotermes michealseni*. *Journal of Experimental Biology* **214**, 956–962. doi:10.1242/jeb.050419
- Mburu, D.M., Ochola, L., Maniania, N.K., Njagi, P.G.N., Gitonga, L.M., Ndung'u, M.W., Wanjoya, A.K. & Hassanali, A. (2009) Relationship between virulence and repellency of entomopathogenic isolates of *Metarhizium anisopliae* and *Beauveria bassiana* to the termite *Macrotermes michealseni*. *Journal of Insect Physiology* **55**, 774–780. doi:10.1016/j.jinsphys.2009.04.015
- Meyling, N.V. (2007) Methods for isolation of entomopathogenic fungi from soil environment. Laboratory manual, Department of Ecology, Faculty of Life Sciences, University of Copenhagen.
- Meyling, N.V. & Eilenberg, J. (2007) Ecology of the entomopathogenic fungi *Beauveria bassiana* and *Metarhizium anisopliae* in temperate agroecosystems: Potential for conservation biological control. *Biological Control* **43**, 145–155. doi:10.1016/j.biocontrol.2007.07.007
- Milanesio, D., Saccani, M., Maggiora, R., Laurino, D. & Porporato, M. (2016) Design of an harmonic radar for the tracking of the Asian yellow-legged hornet. *Ecology and Evolution* **6**, 2170–2178. doi:10.1002/ece3.2011
- Milanesio, D., Saccani, M., Maggiora, R., Laurino, D. & Porporato, M. (2017) Recent upgrades of the harmonic radar for the tracking of the Asian yellow-legged hornet. *Ecology and Evolution* **7**, 4599–4606. doi:10.1002/ece3.3053
- Mills, L.S., Soulé, M.E. & Doak, D.F. (1993) The keystone-species concept in ecology and conservation. *BioScience* **43**, 219-224.

Références

- Moino, A. & Sousa Cavalanti, R. (2011) Hongos y nematodos entomopatógenos. Manual de biología de suelos tropicales. Ed. del Instituto Nacional de Ecología y Cambio Climático, Mexico. pp. 287-295.
- Moller, H. (1990) Wasps kill nestling birds. *Notornis* **37**, 76-77.
- Moller, H. (1996) Lessons for invasion theory from social insects. *Biological conservation* **78**, 125–142.
- Moller, H., Beggs, J.R., Tilley, J.A.V., Toft, R.J., Wilson, N.J. & Alspach, P.A. (1990) Ecology and control of wasps populations in New Zealand. *DSIR Land Resources Contract Report to the department of Conservation*.
- Monceau, K., Bonnard, O. & Thiéry, D. (2012) Chasing the queens of the alien predator of honeybees: A water drop in the invasiveness ocean. *Open Journal of Ecology* **02**, 183–191. doi:10.4236/oje.2012.24022
- Monceau, K., Bonnard, O., Thiéry, D. (2013a) Relationship between the age of *Vespa Velutina* workers and their defensive behaviour established from colonies maintained in the Laboratory. *Insectes Sociaux* **60**, 437–44.
- Monceau, K., Maher, N., Bonnard, O. & Thiéry, D. (2013b) Predation dynamics study of the recently introduced honeybee killer *Vespa velutina*: learning from the enemy. *Apidologie* **44**, 209–221.
- Monceau, K., Arca, M., Leprêtre, L., Mougel, F., Bonnard, O., Silvain, J.F., Maher, N., Arnold, G. & Thiéry, D. (2013c) Native prey and invasive predator patterns of foraging activity: the case of the yellow legged hornet predation at European honeybee hives. *PLoS One* **8**:e66492.
- Monceau, K., Bonnard, O. & Thiéry, D. (2014a) *Vespa Velutina*: A new invasive predator of honeybees in Europe. *Journal of Pest Science* **87**, 1–16.
- Monceau, K., Bonnard, O., Moreau, J. & Thiéry, D. (2014b) Spatial distribution of *Vespa velutina* individuals hunting at domestic honeybee hives: heterogeneity at a local scale: Repartition of *Vespa velutina* on hives. *Insect Science* **21**, 765–774. doi:10.1111/1744-7917.12090
- Monceau, K., Maher, N., Bonnard, O. & Thiéry, D. (2015a) Evaluation of competition between a native and an invasive hornet species: do seasonal phenologies overlap? *Bulletin of Entomological Research* **105**, 462–469. doi:10.1017/S0007485315000280
- Monceau, K., Moreau, J., Poidatz, J., Bonnard, O. & Thiéry, D. (2015b) Behavioral syndrome in a native and an invasive hymenoptera species: Behavioral syndrome in hymenoptera species. *Insect Science* **22**, 541–548. doi:10.1111/1744-7917.12140
- Monceau, K. & Thiéry, D. (2017) *Vespa velutina* nest distribution at a local scale: An eight-year survey of the invasive honeybee predator. *Insect Science* **24**, 663–674. doi:10.1111/1744-7917.12331.
- Monceau, K., Tourat, A., Arca, M., Bonnard, O., Arnold, G. & Thiéry, D. (2017) Daily and seasonal extranidal behaviour variations in the invasive yellow-legged hornet, *Vespa velutina* Lepeletier (Hymenoptera: Vespidae). *Journal of Insect Behavior* **30**, 220-230.

Références

- Monceau, K. & Thiéry, D. (2017c) *Vespa velutina* : current situation and perspectives. *Atti Accademia Nazionale Italiana di Entomologia Anno LXIV*, 137-142. (In press)
- Mônica, C., Lino-Neto, J. & Dolder, H. (2005) Spermatogenesis of *Melipona quadrifasciata anthidioides* (Hymenoptera: Apidae): Fate of the atypical spermatids. *Caryologia* **58**, 183–88.
- Montagner, H. (1963) Etude préliminaire des relations entre les adultes et le couvain chez les guêpes sociales du genre *Vespa* au moyen d'un radio-isotope. *Insectes sociaux* **2**, 153-166.
- Montagner, H. & Courtois, G. (1963) Données nouvelles sur le comportement alimentaire et les échanges trophallactiques chez les guêpes sociales . *C.R. Acad. Sci. Paris* **256**, 4092-4094 .
- Montagner, H. (1964) Etudes du comportement alimentaire et des relations trophallactiques du mâle au sein de la société de guêpes. *Insectes sociaux* **11**, 301-316 .
- Mooney, H.A. & Cleland, E.E. (2001) The evolutionary impact of invasive species. *Proceedings of the National Academy of Sciences of the United States of America* **98**, 5446-5451. doi: 10.1073/pnas.091093398.
- Moors, L., Spaas, O., Koeniger, G & Billen, J. (2005) Morphological and ultrastructural changes in the mucus glands of *Apis mellifera* drones during pupal development and sexual maturation. *Apidologie* **36**, 245-254.
- Moreau, M., Arrufat, P., Latil, G. & Jeanson, R. (2011) Use of radio-tagging to map spatial organization and social interactions in insects. *Journal of Experimental Biology* **214**, 17–21.
- Moret, Y. & Schmid-Hempel, P. (2000) Survival for immunity: the price of immune system activation for bumblebee workers. *Science* **290**, 1166–1168.
- Morrow, E. H. & Gage, M. J. G. (2000) The evolution of sperm length in moths. *Proceedings of the Royal Society B* **267**, 307-313.
- Mostafalou, S. & Abdollahi, M. (2013) Pesticides and human chronic diseases: Evidences, mechanisms, and perspectives. *Toxicology and Applied Pharmacology* **268**, 157–177. doi:10.1016/j.taap.2013.01.025
- Nadolski, J. (2012) Structure of Nests and Colony Sizes of the European Hornet (*Vespa crabro*) and Saxon wasp (*Dolichovespula saxonica*) (Hymenoptera: Vespinae) in Urban Conditions. *Sociobiology* **59**, 1075-1120.
- Nakamura, M. & Sonthichai, S. (2004) Nesting habits of some hornet species (Hymenoptera, Vespidae) in Northern Thailand. *Kasetsart Journal. Natural Science* **38**, 196–206.
- Naug, D., Camazine, S. (2002). The role of colony organization on pathogen transmission in social insects. *Journal of Theoretical Biology*, 215, 427–439. doi:10.1006/jtbi.2001.2524
- Nicolis, S.C. & Deneubourg, J.L. (1999) Emerging Patterns and Food Recruitment in Ants: an Analytical Study. *Journal of Theoretical Biology* **198**, 575–592. doi:10.1006/jtbi.1999.0934
- Nixon, H.L. & Ribbands, C.R. (1952) Food transmission within the honeybee community. *Proceedings of the royal society B* **140**, 43-50; DOI: 10.1098/rspb.1952.0042.

Références

- Nguyen, T. M., Bressac, C. & Chevrier, C. (2013) Heat stress affects male reproduction in a parasitoid wasp. *Journal of insect Physiology* **59**, 248–254.
- Ochocki, B.M. & Miller, T.E.X. (2017) Rapid evolution of dispersal ability makes biological invasions faster and more variable. *Nature Communications* **8**, 14315. doi:10.1038/ncomms14315
- O'Donnell, S. & Jeanne, R.L. (1990) Forager specialization and the control of nest repair in *Polybia occidentalis* Oliver (Hymenoptera; Vespidae). *Behav. Ecol. Sociobiol.* **27**, 359-364.
- O'donnel, S. & Jeanne, R.L. (1992) Lifelong patterns of forager behavior in a tropical swarm-founding wasps: effects of specialization and activity level on longevity. *Anim. Behav.* **44**, 1021-1027.
- O'Donnell, S. & Jeanne, R.L. (1995) The roles of body size and dominance in division of labor among workers of the eusocial wasp *Polybia occidentalis* (Olivier) (Hymenoptera: Vespidae). *Journal of the Kansas Entomological Society* **68**, 43-50.
- O'donnel, S. (1999) The function of male dominance in the eusocial wasp *Mischocyttarus mastigophorus* (Hymenoptera: Vespidae). *Ethology* **105**, 273-282.
- Ohashi, K., D'Souza, D. & Thomson, J.D. (2010) An automated system for tracking and identifying individual nectar foragers at multiple feeders. *Behavioral Ecology and Sociobiology* **64**, 891–897. doi:10.1007/s00265-010-0907-2
- Oldroyd, B.P. (2007) What's killing American honey bees? *PLoS biology* **5**. 1195-1199. doi:10.1371/journal.pbio.0050168
- Orians, G.H. & Pearson, N.E. (1979) On the theory of central place foraging. In D.J. Horn, G.R. Stairs and R.D. Mitchell (Eds.) *Analysis of ecological systems*, Columbus: Ohio State University Press. pp. 155-77.
- Ortiz-Urquiza, A. & Keyhani, N.O. (2013) Action on the Surface: Entomopathogenic fungi versus Insect Cuticle. *Insects*, 4:357-374. DOI: 10.3390/insects4030357 Page, R.E. Jr. (1986). Sperm utilization in social insects. *Annual Review of Entomology* **31**, 297– 320.
- Osborne, J.L., Clark, S.J., Morris, R.J., Williams, I.H., Riley, J.R., Smith, A.D., Reynolds, D.R. & Edwards A.S (1999) A landscape-scale study of bumble bee foraging range and constancy, using harmonic radar. *Journal of Applied Ecology* **36**, 519-533.
- Osborne, J.L., Loxdale, H.D. & Woiwod, I.P. (2002) Chapter 2 : Monitoring insect dispersal: methods and approaches. In “Dispersal ecology”, 42nd Symposium of the British Ecological Society. Pp24-42.
- Osborne, J.L., Martin, A.P., Carreck, N.L., Swain, J.L., Knight, M.E., Goulson, D., Hale, R.J. & Sanderson, R.A. (2008) Bumblebee flight distances in relation to the forage landscape. *Journal of Animal Ecology* **77**, 406–415. doi:10.1111/j.1365-2656.2007.01333.x.

Références

- Oster, G.F. & Wilson, E.O. (1978). Caste and ecology in the social insects. Princeton University Press, New Jersey. Pp26-71.
- Overmyer, S.L. & Jeanne, R.L. (2000) Behavioral evidence for a food site marking substance in the German yellowjacket. *Vespula germanica* (Hymenoptera: Vespidae). *J Insect Behav*
- Pacala, S.W., Gordon, D.M. & Godfray, H.C.J. (1996). Effects of social group size on information transfer and task allocation. *Evolutionary Ecology*, 10, 127–165.
- Page, R.E. (1986) Sperm utilization in social insects. *Annual Review of Entomology* **31**, 297-320.
- Page, R.E. & Metcalf, R.A. (1982) Multiple mating, sperm utilization, and social evolution. *The American Naturalist* **119**, 263-281.
- Pahl, M., Zhu, H., Tautz, J. & Zhang, S. (2011) Large scale homing in honeybees. *PLoS ONE* **6**, e19669. doi:10.1371/journal.pone.0019669
- Paillet, A. (1917) Observations et expériences sur les champignons parasites des insectes. *Annales des Epiphyties* **7**, 329-334.
- Palmer, K. A. & Oldroyd, B. P. (2000) Evolution of multiple mating in the genus *Apis*. *Apidologie* **31**, 235-248.
- Pamilo, P. (1985) Effect of inbreeding on genetic relatedness. *Hereditas* **103**, 195-200.
- Pamilo, P. (1991) Evolution of colony characteristics in social insects. II. Number of reproductive individuals. *The American Naturalist* **138**, 412-433.
- Pankiw, T. (2004) Cued in: honey bee pheromones as information flow and collective decision-making. *Apidologie* **35**, 217–226. doi:10.1051/apido:2004009
- Parker, B.L., Skinner, M., Gouli, S.Y., Gouli, V.V., Tobi, D. & Kim, J.S. (2015) Persistence of *Beauveria bassiana* sensu lato and *Metarhizium anisopliae* sensu lato in Vermont (USA) forest soil. *Biocontrol Science and Technology* **25**, 768-788. doi: 10.1080/09583157.2015.1016895
- Parrish MD, Fowler HG (1983) Contrasting foraging-related behaviours in two sympatric wasps (*Vespula maculifrons* and *V. germanica*). *Ecol. Entomol.* **8**, 185-190.
- Peat, J., Darvill, B., Ellis, J. & Goulson, D. (2005) Effects of climate on intra-and interspecific size variation in bumble-bees. *Functional Ecology* **19**, 145–151.
- Peig, J. & Green, A.J. (2009) New perspectives for estimating body condition from mass/length data: the scaled mass index as an alternative method. *Oikos* **118**, 1883–1891.
- Perrard, A., Haxaire, J., Rortais, A. & Villemant, C. (2009) Observations on the colony activity of the Asian hornet *Vespa velutina* Lepeletier 1836 (Hymenoptera: Vespidae: Vespinae) in France. *Annales de la Société entomologique de France* **45**, 119–127. doi:10.1080/00379271.2009.10697595.
- Perrard, A. (2012) Systématique et morphométrie géométrique : l'évolution de la nervation alaire au sein du genre *Vespa* (Hyménoptères : Vespidés). PhD Thesis rapport pp 32-42.

Références

- Perrard, A., Villemant, C., Carpenter & J.M. & Baylac, M. (2012) Differences in caste dimorphism among three hornet species (Hymenoptera: Vespidae): forewing size, shape and allometry: Caste dimorphism in hornets. *Journal of Evolutionary Biology* **25**, 1389–1398. doi:10.1111/j.1420-9101.2012.02527.x
- Perrard, A., Arca, M., Rome, Q., Muller, F., Tan, J., Bista, S., Nugroho, H., Baudoin, R., Baylac, M., Silvain, J.-F., Carpenter, J.M. & Villemant, C. (2014) Geographic variation of melanisation patterns in a hornet species: Genetic differences, climatic pressures or aposematic constraints? *PLoS ONE* **9**, e94162. doi:10.1371/journal.pone.0094162
- Pershad, S. (1967) Analyse de différents facteurs conditionnant les échanges alimentaires dans une colonie d'abeilles *Apis mellifica* L. au moyen du radio isotope P32. *Les Annales de l'Abeille* **10**, pp.139197. <hal-00890256>
- Perveen, F. & Shah, M. (2013) Nest architectural patterns by three wasp Species (*Vespa velutina*, *Polistes flavus* and *Sceliphron formosum*) with reference to their behavior. *International Journal of Insect Science* **1**. doi:10.4137/IJIS.S10737
- Phillips, B.L., Brown, G.P., Travis, J.M.J. & Shine, R. (2008) Reid's paradox revisited: the evolution of dispersal kernels during range expansion. *Am. Nat.* **172**, S34–S48.
- Plotkin, M., Hod, I., Zaban, A., Boden, S.A., Bagnall, D.M., Galushko, D. & Bergman, D.J. (2010) Solar energy harvesting in the epicuticle of the oriental hornet (*Vespa orientalis*). *Naturwissenschaften* **97**, 1067–1076. doi:10.1007/s00114-010-0728-1.
- Plowright, R.C. & Pallet, M.J. (1979) Worker-male conflict and inbreeding in bumble bees (Hymenoptera, Apidae). *Canadian Entomologist* **111**, 289-294.
- Poidatz, J., Bressac, C., Bonnard, O. & Thiéry, D. (2017) Delayed sexual maturity in males of *Vespa velutina*. *Insect Science*, DOI: 10.1111/1744-7917.12452.
- Porporato, M., Manino, A., Laurino, D. & Demichelis, S. (2014) *Vespa velutina* Lepeletier (Hymenoptera Vespidae): A first assessment two years after its arrival in Italy. *Redia* **97**, 189–194.
- Portha, S., Deneubourg, J.-L. & Detrain, C. (2002) Self-organized asymmetries in ant foraging: a functional response to food type and colony needs. *Behav. Ecol.* **13**, 776–781. doi:10.1093/beheco/13.6.776
- Potter, N.B. (1964) A study of the biology of the common wasp, *Vespula vulgaris* L., with special reference to the foraging behaviour. Thesis, University of Bristol.
- Potrich, M., Alves, L.F.A., Haas, J., Silva, E.R.L. da, Daros, A., Pietrowski, V. & Neves, P.M.O.J. (2009) Selectivity of *Beauveria bassiana* and *Metarhizium anisopliae* to *Trichogramma pretiosum* Riley (Hymenoptera: Trichogrammatidae). *Neotropical Entomology* **38**, 822–826. doi:10.1590/S1519-566X2009000600016
- Prasifka, J. R., Heinz, K. M. & Sansone, C. G. (2001). Field testing rubidium marking for quantifying intercrop movement of predatory arthropods. *Environmental Entomology* **30**, 711–19.

Références

- Pyke, G.H., Pulliam, H.R. & Charnov, E.L. (1977) Optimal foraging: a selective review of theory and tests. *The Quarterly Review of Biology* **52**, 137-154.
- Pyke, G.H. (1984) Optimal foraging: a critical review. *Annual Review of Ecology and Systematics* **15**, 523–575.
- Quesada-Moraga, E., Navas-Cortés, J.A., Maranhao, E.A., Ortiz-Urquiza, A. & Santiago-Álvarez, C. (2007) Factors affecting the occurrence and distribution of entomopathogenic fungi in natural and cultivated soil. *Mycological research* **111**, 947-966.
- Quimio, G.M. & Walter, G.H. (2000) Swarming, delayed sexual maturation of males, and mating behavior of *Fopius arisanus* (Sonan)(Hymenoptera: Braconidae). *Journal of Insect Behavior* **13**, 797–813.
- Rangel, D.E.N., Braga, G.U.L., Fernandes, E.K.K., Keyser, C.A., Hallsworth, J.E. & Roberts, D.W. (2015) Stress tolerance and virulence of insect-pathogenic fungi are determined by environmental conditions during colonial formation. *Current Genetics*. DOI: 10.1007/s00294-015-0477-y
- Ratnieks, F.L.W. & Visscher, P.K. (1989) Worker policing in the honeybee. *Nature* **342**, 796 – 797. doi:10.1038/342796a0
- Ratnieks, F.L. & Keller, L. (1998) Queen control of egg fertilization in the honey bee. *Behavioral Ecology and Sociobiology* **44**, 57–61.
- Ray, D.E. & Richards, P.G. (2001) The potential for toxic effects of chronic, low-dose exposure to organophosphates. *Toxicology Letters* **120**, 343–351. doi:10.1016/S0378-4274(01)00266-1
- R Core Team (2016) R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>. Accessed 17/08/2017.
- Reeve, H.K. (1991) Polistes. In: The Social Biology of Wasps (Ross K.G. and Matthews R.W., Eds). Comstock Publ. Assoc., New York, pp. 99-148
- Reeve, H.K. & Nonacs, P. (1992) Social contracts in wasp societies. *Nature* **359**, 823-825.
- Rehner, S.A. (2005) Phylogenetics of the genus *Beauveria*. In “Insect-Fungal associations: Ecology and Evolution”. Ed Fernando E. Vega & Meredith Blackwell, Oxford University Press, pp 3-27.
- Rehner, S.A., Minnis, A.M., Sung, G.-H., Luangsa-ard, J.J., Devotto, L. & Humber, R.A. (2011) Phylogeny and systematics of the anamorphic, entomopathogenic genus *Beauveria*. *Mycologia* **103**, 1055–1073. doi:10.3852/10-302
- Reynolds, D.R. & Riley, J.R. (2002) Remote-sensing, telemetric and computer-based technologies for investigating insect movement: a survey of existing and potential techniques. *Computers and Electronics in Agriculture* **35**, 271–307.

Références

- Reynolds, A.M., Smith, A.D., Menzel, R., Greggers, U., Reynolds, D.R. & Riley, J.R. (2007) Displaced honey bees perform optimal scale free search flights. *Ecology* **88**, 1955–1961. doi:10.1890/06-1916.1
- Richards, O. W. (1978) The Social Wasps of the Americas Excluding the Vespinae. British Museum (Natural History), London, England. 580 pp.
- Raveret Richter, M. & Jeanne, R.L. (1991) Hunting behaviour, prey capture and ant avoidance in the tropical social wasp *Polybia sevicea* (Hymenoptera: Vespidae). *Insectes sociaux* **38**, 139-147.
- Raveret Richter, M. & Tisch, V.L. (1999) Resource choice of social wasps : influence of presence, size and species of resident wasps. *Insectes Sociaux* **46**, 131–136.
- Raveret Richter, M. (2000) Social wasp (Hymenoptera: Vespidae) foraging behavior. *Annual review of entomology* **45**, 121–150.
- Riley, J.R., Smith, A.D., Reynolds, D.R., Edwards, A.S., Osborne, J.L., Williams, I.H., Carreck, N.L. & Poppy, G.M. (1996) Tracking bees with harmonic radar. *Nature* **379**, 29–30.
- Reynolds, D.R. & Riley, J.R. (2002) Remote-sensing, telemetric and computer-based technologies for investigating insect movement: a survey of existing and potential techniques. *Computers and Electronics in Agriculture* **35**, 271–307.
- Reynolds, A.M., Smith, A.D., Reynolds, D.R., Carreck, N.L., Osborne, J.L. (2007) Honeybees perform optimal scale-free searching flights when attempting to locate a food source. *Journal of Experimental Biology* **210**, 3763–3770. doi:10.1242/jeb.009563
- Robinet, C., Suppo, C. & Darrouzet, E. (2016) Rapid spread of the invasive yellow-legged hornet in France: the role of human-mediated dispersal and the effects of control measures. *Journal of Applied Ecology* **54**, 205-215.
- Rocha, S.L., Evans, H.C., Jorge, V.L., Cardoso, L.A.O., Pereira, F.S.T., Rocha, F.B., Barreto, R.W., Hart, A.G. & Elliot, S.L. (2017) Recognition of endophytic *Trichoderma* species by leaf-cutting ants and their potential in a Trojan-horse management strategy. *Royal Society Open Science* **4**, 160628. doi:10.1098/rsos.160628
- da Rocha, A.A. & Giannotti, E. (2007) Foraging activity of *Protopolybia exigua* (Hymenoptera, Vespidae) in different phases of the colony cycle, at an area in the region of the Médio São Francisco River, Bahia, Brazil. *Sociobiology* **50**, 813–831.
- Rodet, G. & Henry, M. (2014) Analytic partitioning of honeybee (*Apis mellifera* L.) flight activity at nest entrance: adaptation and behavioural inertia in a changing environment. *Ecological Research* **29**, 1043-1051. DOI : 10.1007/s11284-014-1191-9
- Rojik, I., Nemcsók, J. & Boross, L. (1983) Morphological and biochemical studies on liver, kidney and gill of fishes affected by pesticides. *Acta Biologica Hungarica* **34**, 81–92.
- Roland, G. (1976) Approche eco-ethologique et biologique des Societes de *Paravespula vulgaris* et *germanica*. *These de Docteur Es-Sciences Naturelles. Univ. de Nancy*, pp. 1–309.

Références

- Rome, Q., Perrard, A., Muller, F. & Villemant, C. (2011) Monitoring and control modalities of a honeybee predator, the yellow-legged hornet *Vespa velutina nigrithorax* (Hymenoptera: Vespidae). *Aliens* **31**, 7–15.
- Rome, Q., Dambrine, L., Onate, C., Muller, F., Villemant, C., García Pérez, A.L., Maia, M., Carvalho Esteves, P. & Bruneau, E. (2013) Spread of the invasive hornet *Vespa velutina* Lepeletier, 1836, in Europe in 2012 (Hym., Vespidae). *Bulletin de la Société Entomologique de France* **118**, 21–22.
- Rome, Q., Muller, F.J., Touret-Alby, A., Darrouzet, E., Perrard, A. & Villemant, C. (2015) Caste differentiation and seasonal changes in *Vespa velutina* (Hym.: Vespidae) colonies in its introduced range. *Journal of Applied Entomology* **139**, 771–782. doi:10.1111/jen.12210
- Roosen-Runge, E. C. (1977) The process of spermatogenesis in animals. Cambridge University Press, Cambridge, 102–132.
- Rortais, A., Villemant, C., Olivier, G., Rome, Q., Haxaire, J., Papachristoforou, A. & Arnold, G. (2010) A New Enemy of Honeybees in Europe: the Asian Hornet *Vespa velutina*. In: Settele, J., (Ed.), *Atlas of Biodiversity Risks - from Europe to the Globe, From Stories to Maps*. Pensoft, Sofia, Moscow.
- Rose, E.A.F., Harris, R.J. & Glare, T.R. (1999) Possible pathogens of social wasps (Hymenoptera: Vespidae) and their potential as biological control agents. *New Zealand Journal Zoology* **26**, 179–190.
- Ross, K.G. (1985). Aspects of worker reproduction in four social wasp species (Insecta: Hymenoptera: Vespidae). *Journal of Zoology* **205**, 411–424.
- Ross, K.G. & Fletcher, D.J. (1986) Diploid male production—a significant colony mortality factor in the fire ant *Solenopsis invicta* (Hymenoptera: Formicidae). *Behavioral Ecology and Sociobiology* **19**, 283–291.
- Rossoni, C., Kassab, S.O., Loureiro, E.D.S., Pereira, F.F., Costa, D.P., Barbosa, R.H. & Zanuncio, J.C., (2014) *Metarhizium anisopliae* and *Beauveria bassiana* (Hypocreales: Clavicipitaceae) are compatible with *Cotesia flavipes* (Hymenoptera: Braconidae). *Florida Entomologist* **97**, 1794–1804. doi:10.1653/024.097.0455.
- Rolff, J. (2001) Effects of age and gender on immune function of dragonflies (Odonata, Lestidae) from a wild population. *Canadian Journal of Zoology* **79**, 2176–2180. doi:10.1139/cjz-79-12-2176.
- Sakai, A.K., Allendorf, F.W., Holt, J.S., Lodge, D.M., Molofsky, J., With, K.A., Baughman, S., Cabin, R.J., Cohen, J.E., Ellstrand, N.C., McCauley, D.E., O'Neil, P., Parker, I.M., Thompson, J.N. & Weller, S.G. (2001) The Population Biology of Invasive Species. *Annual Review of Ecology and Systematics* **32**, 305–332.
- Salamova, A., Pagano, J.J., Holsen, T.M. & Hites, R.A. (2013) Post-1990 temporal trends of PCBs and organochlorine pesticides in the atmosphere and in fish from lakes Erie, Michigan, and Superior. *Environmental Science & Technology* **47**, 9109–9114. doi:10.1021/es401895g.

Références

- Sanahuja, G., Banakar, R., Twyman, R.M., Capell, T. & Christou, P. (2011) *Bacillus thuringiensis*: a century of research, development and commercial applications. *Plant Biotechnology Journal* **9**, 283–300. doi:10.1111/j.1467-7652.2011.00595.x.
- Schlüns, H., Schlüns, E., Van Praagh, J. & Moritz, R. (2003) Sperm numbers in drone honeybees (*Apis mellifera*) depend on body size. *Apidologie* **34**, 577-584.
- Schmid-Hempel, P., Kacelnik, A., Houston, A.I. (1985) Honeybees maximize efficiency by not filling their crop. *Behavioral Ecology and Sociobiology* **17**, 61–66.
- Schmid-Hempel, P. & Crozier, R.H. (1999) Ployandry versus polygyny versus parasites. *Phil. Trans. R. Soc. Lond. B* **354**, 507-515. doi: 10.1098/rstb.1999.0401.
- Schmitz, V., Rochrich, R. & Stockel, J. (1995) Etude du mécanisme de la confusion sexuelle pour l'Eudémis de la vigne *Lobesia botrana* Den. Et Schiff. (Lep., Tortricidae). I. Rôles respectifs de la competition, du camouflage de la piste odorante et de la modification du signal phéromonal. *Journal of Applied Entomology* **119**, 131-138.
- Schneider, C.W., Tautz, J., Grünwald, B. & Fuchs, S. (2012) RFID tracking of sublethal effects of two neonicotinoid insecticides on the foraging behavior of *Apis mellifera*. *PLoS ONE* **7**, e30023. doi:10.1371/journal.pone.0030023.
- Schöne, H., Harris, A.C., Mahalski, P. (1993a) Homing after displacement in open or closed containers by the diggerwasp *Argogorytes carbonarius* (Hymenoptera: Specidae). *Ethology* **95**, 152–156.
- Schöne, H., Tengö, J., Kühme, D. & Kühme, L. (1993b) Homing with or without sight of surroundings and sky during displacement in the digger wasp *Bembix rostrata* (Hymenoptera: Sphecidae). *Ethology Ecology and Evolution* **5**, 549–552.
- Shah, F.A. & Shah, T.A. (1991) *Vespa velutina*, a serious pest of honey bees in Kashmir. *Bee World* **72**, 161-164.
- Shahid, A., Rao, Q., Bakhsh, A. & Husnain, T. (2012) Entomopathogenic fungi as biological controllers: New insights into their virulence and pathogenicity. *Archives of Biological Sciences* **64**, 21–42. doi:10.2298/ABS1201021S.
- Shaw, F.R. & Weidhaas, J. (1956) Distribution and habits of the giant hornet in North America. *J Econ. Entomol.* **49**, 275–275. doi:10.1093/jee/49.2.275
- Silcox, D.E., Doskocil, J.P., Sorenson, C.E. & Brandenburg, R.L. (2011) Radio frequency identification tagging: a novel approach to monitoring surface and subterranean insects. *American Entomologist* **57**, 86–93.
- Simberloff, D., Martin, J.-L., Genovesi, P., Maris, V., Wardle, D.A., Aronson, J., Courchamp, F., Galil, B., García-Berthou, E., Pascal, M., Pyšek, P., Sousa, R., Tabacchi, E. & Vilà, M. (2013) Impacts of biological invasions: what's what and the way forward. *Trends in Ecology & Evolution* **28**, 58–66. doi:10.1016/j.tree.2012.07.013.

Références

- Simmons, L.W. & Siva-Jothy, M.T. (1998) Sperm competition in insects: Mechanisms and the potential for selection, in: Birkbead T.R., Moller A.P., *Sperm Competition and sexual selection*, Academic press, pp341-414.
- Simões, D. (1977) Etologia e diferenciacão de casta em algumas vespas sociais (Hymenoptera, Vespidae). PhD thesis. Ribeiréao Preto-Universidade de São Paulo.
- Snyder, W.E. & Evans E.V. (2006) Ecological effects of invasive arthropod generalist predators. *Ann. Rev. Ecol. Evol. Syst.* **37**, 95-122.
- Smith, R.J. & Grula, E.A. (1982) Toxic components on the larval surface of the corn earworm (*Heliothis zea*) and their effects on germination and growth of *Beauveria bassiana*. *Journal of Invertebrate Pathology* **39**, 15–22.
- Snook, R. (2005) Sperm in competition: not playing by the numbers. *Trends in Ecology and Evolution* **20**, 46–53. doi:10.1016/j.tree.2004.10.011.
- Southwick, E.E. & Buchmann, S.L. (1995) Effects of horizon landmarks on homing success in honeybees. *American Naturalist* **146**, 748–764.
- Snodgrass, R.E. (1956) Anatomy of the honeybee. Ithaca, New York, Comstock Publ. Ass.
- Spiewok, S. & Schmolz, E. (2005) Changes in temperature and light alter the flight speed of hornets (*Vespa crabro* L.). *Physiological and Biochemical Zoology* **79**, 188-193.
- Spiewok, S., Schmolz, E. & Ruther, J. (2006) Mating system of the european hornet *Vespa crabro*: Male seeking strategies and evidence for the involvement of a sex pheromone. *Journal of Chemical Ecology* **32**, 2777–2788.
- Spradbery, J.P. (1973) Wasps: an account of the biology and natural history of social and solitary wasps. University of Washington Press, Seattle.
- Starnes, R.L., Liu, C.L. & Marrone, P.G. (1993) History, use, and future of microbial insecticides. *American Entomologist* **39**, 83–91.
- Steffan-Dewenter, I. & Kuhn, A. (2003) Honeybee foraging in differentially structured landscapes. *Proceedings of the Royal Society B: Biological Sciences* **270**, 569–575. doi:10.1098/rspb.2002.2292.
- Stein, K. J. & Fell, R.D. (1994) Correlation of Queen Sperm Content with Colony Size in Yellowjackets (Hymenoptera: Vespidae). *Environmental Entomology* **23**, 1497-1500.
- Stein, K. J., Fell, R.D. & Holtzman, G.I. (1996) Sperm use dynamics of the Baldfaced hornet (Hymenoptera: Vespidae). *Environmental Entomology* **25**, 1365-1370.
- Stelzer, R.J. & Chittka, L. (2010). Bumblebee foraging rhythms under the midnight sun measured with radiofrequency identification. *BMC biology* **8**, 1.
- Stelzer, R.J., Chittka, L., Carlton, M. & Ings, T.C. (2010) Winter active bumblebees (*Bombus terrestris*) achieve high foraging rates in urban britain. *PLoS ONE* **5**, e9559. doi:10.1371/journal.pone.0009559.

Références

- Stimmann, M. W. (1974). Marking Insects with Rubidium: Imported Cabbageworm Marked in the Field. *Environmental Entomology* **3**, 327–28.
- St Leger, R.J., Durrands, A.K., Charnley, A.K. & Cooper, R.M. (1988a) Role of extracellular Chymoelastase in the virulence of *Metarhizium anisopliae* for *Manduca sexta*. *Journal of invertebrate pathology* **52**, 285-293.
- St Leger, R.J., Cooper, R.M. & Charnley, A.K. (1988b). The effect of melanization of *Manduca sexta* cuticle on growth and infection by *Metarhizium anisopliae*. *Journal of Invertebrate Pathology* **52**, 459–470.
- St leger, R., Butt, T.M., Goettel, M.S., Staples, R.C. & Roberts, D.W. (1989) Production in vitro of appressoria by the entomopathogenic fungus *Metarhizium anisopliae*. *Experimental Mycology* **13**, 274–288.
- St. Leger, R. (1993). Biology and mechanisms of insect-cuticle invasion by Deuteromycete fungal pathogens. In: Parasites and pathogens of insects. Vol. 2, Pathogens. N. E. Beckage and B. Federici (eds.). Academic Press, New York, pp. 211-230.
- St. Leger, R. J. & Joshi, L. (1997) The application of molecular techniques to insect pathology with emphasis on entomopathogenic fungi. In “Manual of Techniques in Insect Pathology” (L. A. Lacey, Ed.). pp. 367–394. Academic Press, London.
- Stow, A. & Beattie, A. (2008) Chemical and genetic defenses against disease in insect societies. Brain, behavior, and immunity **22**, 1009–1013. doi:10.1016/j.bbi.2008.03.008
- Strassman, J.E. (1979) Honey caches help female paper wasps (*Polistes annularis*) survive Texas winters. *Science* **204**, 207–209. doi:10.1126/science.204.4389.207.
- Strassmann, J.E. & Meyer, D.C. (1983) Gerontocracy in the social wasp, *Polistes exclamans*. *Animal Behavior* **31**, 431-438.
- Strassmann, J.E. (2001) The rarity of multiple mating by females in the social Hymenoptera. *Insectes Sociaux* **48**, 1–13.
- Strohm, E. (2000). Factors affecting body size and fat content in a digger wasp. *Oecologia* **123**, 184–191.
- Stürzl, W., Zeil, J., Boeddeker, N. & Hemmi, J.M. (2016) How wasps acquire and use views for homing. *Current Biology* **26**, 470-482.
- Suarez, A.V., Tsutsui, N.D., Holway, D.A. & Case, T.J. (1999) Behavioral and genetic differentiation between native and introduced populations of the Argentine ant. *Biological Invasions* **1**: 43–53.
- Suchail, S., Guez, D. & Belzunces, L.P. (2001) Discrepancy between acute and chronic toxicity induced by imidacloprid and its metabolites in *Apis mellifera*. *Environmental Toxicology and Chemistry* **20**, 2482–2486. doi:10.1002/etc.5620201113.

Références

- Sumner, S., Lucas, E., Barker, J. & Isaac, N. (2007) Radio-tagging technology reveals extreme nest-drifting behavior in a eusocial insect. *Current Biology* **17**, 140–145. doi:10.1016/j.cub.2006.11.064.
- Suty L. (2010). « La lutte biologique, définitions et concepts généraux » in « La lutte biologique, vers de nouveaux équilibres écologiques ». Ed. Quae, pp44-62.
- Takagi, M., Hirose, Y. & Yamasaki, M. (1980) Prey-location learning in *Polistes jadwigae* DALLA TORRE (Hymenoptera, Vespidae), Field experiments on orientation. *Kontyû, Tokyo* **48**, 53–58.
- Takahashi, J., Akimoto, S., Hasegawa, E. & Nakamura, J. (2002) Queen mating frequencies and genetic relatedness between workers in the hornet *Vespa ducalis* (Hymenoptera: Vespidae). *Applied Entomology and Zoology* **37**, 481–486.
- Takahashi, J., Akimoto, S., Martin, S. J., Tamukae, M. & Hasegawa, E. (2004) Mating structure and male production in the giant hornet *Vespa mandarinia* (Hymenoptera: Vespidae). *Applied Entomology and Zoology* **39**, 343–349.
- Takashi, A., Yoshiya, T., Hiromitsu, M., Miyazaki, H. & Kawasaki, Y.Y (1991) Comparative study of the composition of hornet larval saliva, its effect on behaviour and role of trophallaxis. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology* **99**, 79–84.
- Tao, S., Xu, F.L., Wang, X.J., Liu, W.X., Gong, Z.M., Fang, J.Y., Zhu, L.Z. & Luo, Y.M. (2005) Organochlorine pesticides in agricultural soil and vegetables from Tianjin, China. *Environmental Science & Technology* **39**, 2494–2499. doi:10.1021/es048885s
- Tan, K., Radloff, S.E., Li, J.J., Hepburn, H.R., Yang, M.X., Zhang, L.J. & Neumann, P. (2007) Bee-hawking by the wasp, *Vespa velutina*, on the honeybees *Apis cerana* and *A. mellifera*. *Naturwissenschaften* **94**, 469–472. doi:10.1007/s00114-006-0210-2
- Tan, K., Wang, Z., Li, H., Yang, S., Hu, Z., Kastberger, G. & Oldroyd, B.P. (2012) An “I see you” prey-predator signal between the Asian honeybee, *Apis cerana*, and the hornet, *Vespa velutina*. *Animal Behaviour* **83**, 879–882. doi:10.1016/j.anbehav.2011.12.031
- Tao, S., Liu, W.X., Li, X.Q., Zhou, D.X., Li, X., Yang, Y.F., Yue, D.P. & Coveney, R.M. (2009) Organochlorine pesticide residuals in chickens and eggs at a poultry farm in Beijing, China. *Environmental Pollution* **157**, 497–502. doi:10.1016/j.envpol.2008.09.005
- Tarpy, D. R., Nielsen R. & Nielsen D.I. (2004) A scientific note on the revised estimates of paternity frequency in *Apis*. *Insectes Sociaux* **51**, 203-204
- Tenczar, P., Lutz, C.C., Rao, V.D., Goldenfeld, N. & Robinson, G.E. (2014) Automated monitoring reveals extreme interindividual variation and plasticity in honeybee foraging activity levels. *Animal Behaviour* **95**, 41–48. doi:10.1016/j.anbehav.2014.06.006
- Theralauz, G., Bonabeau, E. & Deneubourg, J.L. (1998). The origin of nest complexity in social insects. *Complexity* **3**, 15–25.
- Therneau, T. (2014) A Package for Survival Analysis in S. R package version 2.37-7.

Références

- Thompson, S.R., Brandenburg, R.L. & Arends, J.J. (2006) Impact of moisture and UV degradation on *Beauveria bassiana* (Balsamo) Vuillemin conidial viability in turfgrass. *Biological Control* **39**, 401-407.
- Thorpe, W.H. (1963) Learning and instinct in animals. Harvard University Press, Cambridge.
- Tiegs, O.W. (1955) The flight muscles of insects-Their anatomy and histology; with some observations on the structure of striated muscle in general. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* **238**, 221-348.
- Thiel, A. & Weeda, A.C. (2014) Haploid, Diploid, and Triploid--Discrimination ability against polyploid mating partner in the parasitic wasp, *Bracon brevicornis* (Hymenoptera: Braconidae). *Journal of Insect Science* **14**, 291–291. doi:10.1093/jisesa/ieu153
- Toft, R.J. & Rees, J.S. (1998) Reducing predation of orb-web spiders by controlling common wasps (*Vespa vulgaris*) in a New Zealand beech forest. *Ecol Entomol* **23**, 90–95
- Toh, Y. & Okamura, J. (2003) Foraging navigation of hornets studied in natural habitats and laboratory experiments. *Zoological Science* **20**, 311–324. doi:10.2108/zsj.20.311.
- Torchin, M.E., Lafferty, K.D. & Kuris, A.M. (2002) Parasites and marine invasions. *Parasitology* **124**. doi:10.1017/S0031182002001506
- Torchin, M.E., Lafferty, K.D., Dobson, A.P., McKenzie, V.J. & Kuris, A.M. (2003) Introduced species and their missing parasites. *Nature* **421**, 628–630.
- Toth, A.L. (2005). Nutritional status influences socially regulated foraging ontogeny in honey bees. *Journal of Experimental Biology* **208**, 4641–4649. doi:10.1242/jeb.01956
- Tragust, S., Ugelvig, L.V., Chapuisat, M., Heinze, J. & Cremer, S. (2013) Pupal cocoons affect sanitary brood care and limit fungal infections in ant colonies. *BMC evolutionary biology* **13**, 1.
- Travis, J.M.J. & Dytham, C. (2002) Dispersal evolution during invasions. *Evol. Ecol. Res.* **4**, 1119–1129.
- Tuinzinga, A., Miller, J., Morath, S., Daniels, T., Falco, R., Machese, M., Sahabi, S., Rosa, D. & Stafford, K. (2009) Isolation of entomopathogenic fungi from soils and *Ixodes scapularis* (Acar: Ixodidae) ticks: Prevalence and methods. *J. Med. Entomol.* **46**, 557-565.
- Ueno, T. (2015) Establishment of the invasive hornet *Vespa velutina* (Hymenoptera: Vespidae) in Japan. *International Journal of Chemical, Environmental & Biological Sciences* **2**, 2320–4087.
- Ugelvig, L.V. & Cremer, S. (2007) Social Prophylaxis: Group interaction promotes collective immunity in ant colonies. *Current Biology* **17**, 1967–1971. doi:10.1016/j.cub.2007.10.029
- Ugolini, A. (1985) Initial orientation and homing in workers of *Polistes gallicus* (L.) (Hymenoptera, Vespidae). *Zeitschrift fur Tierpsychologie* **69**, 133-140.
- Ugolini, A. (1986) Homing ability in *Polistes gallicus* (L.) (Hymenoptera Vespidae). *Monitore Italian Journal of Zoology* **20**, 1-15.

Références

- Ugolini, A. (1987) Visual information acquired during displacement and initial orientation in *Polistes gallicus* (L.) (Hymenoptera, Vespidae). *Animal Behaviour* **35**, 590-595.
- Ugolini, A., Kessler, A. & Ishay, J.S. (1987) Initial orientation and homing by oriental hornets, *Vespa orientalis* L. (Hymenoptera, Vespidae). *Monitore Zoologico Italiano* **21**, 157-164.
- Van der Velde G., Rajagopal S., Kuyper-Kollenaar M., Bij de Vaate A., Thielges D. and MacIsaac H. (2006). Biological invasions: concepts to understand and predict a global threat. In: Wetlands: functioning, biodiversity conservation, and restoration. Berlin Heidelberg, Germany: Springer-Verlag: 61-90.
- Van Geystelen, A., Benaets, K., de Graaf, D.C., Larmuseau, M.H.D. & Wenseleers, T. (2016) Track-a-Forager: a program for the automated analysis of RFID tracking data to reconstruct foraging behaviour. *Insectes Sociaux* **63**, 175–183. doi:10.1007/s00040-015-0453-z.
- Van Nieuwstadt, M.G.L. & Ruano Iraheta, C.E. (1996) Relation between size and foraging range in stingless bees (Apidae, Meliponinae). *Apidologie* **27**, 219–228.
- van Valen, L. (1973) A new evolutionary law. *Evolutionary Theory* **1**, 1-30.
- Vega, F.E., Goettel, M.S., Blackwell, M., Chandler, D., Jackson, M.A., Keller, S., Koike, M., Maniania, N.K., Monzón, A., Ownley, B.H., Pell, J.K., Rangel, D.E.N. & Roy, H.E. (2009) Fungal entomopathogens: new insights on their ecology. *Fungal Ecology* **2**, 149–159. doi:10.1016/j.funeco.2009.05.001
- Velthuis, H.W., Koedam, D. & Imperatriz-Fonseca, V. (2005) The males of *Melipona* and other stingless bees, and their mothers. *Apidologie* **36**, 169-185.
- Vey, A., Fargues, J. & Robert, P. (1982) Histological and ultrastructural studies of factors determining the specificity of pathotypes of the fungus *Metarrhizium anisopliae* for scarabeid larvae. *Entomophaga* **27**, 387-397.
- Villemant, C., Barbet-Massin, M., Perrard, A., Muller, F., Gargominy, O., Jiguet, F. & Rome, Q. (2011) Predicting the invasion risk by the alien bee-hawking yellow-legged hornet *Vespa velutina nigrithorax* across Europe and other continents with niche models. *Biological Conservation* **144**, 2142–2150. doi:10.1016/j.biocon.2011.04.009.
- Villemant, C., Zuccon, D., Rome, Q., Muller, F., Poinar Jr, G. O. & Justine, J. L. (2015) Can parasites halt the invader? Mermithid nemathodes parasitizing the yellow-legged Asian hornet in France. *PeerJ* **3**:e947, DOI 10.7717/peerj.947
- Vitousek, P.M., Mooney, H.A., Lubchenco, J. & Melillo, J.M. (1997) Human domination of Earth's ecosystems. *Science* **277**, 494-499.
- Vogl, J. & Heumann, K.G. (1997) Determination of heavy metal complexes with humic substances by HPLC/ICP-MS coupling using on-line isotope dilution technique. *Fresenius' journal of analytical chemistry* **359**, 438–441.

Références

- Volynchik, S., Plotkin, M., Bergman, D.J. & Ishay, J.S. (2008) Hornet flight activity and its correlation with UVB radiation, temperature and relative humidity. *Photochemistry and Photobiology* **84**, 81–85.
- Warton, D.I., Duursma, R.A., Falster, D.S. & Taskinen, S. (2012) smatr 3 - an R package for estimation and inference about allometric lines. *Methods in Ecology and Evolution* **3**, 257-259.
- Watson, P.F. & Martin, I.C.A. (1974) Regions of the freezing curve causing changes in structure and viability of ram sperm. *Nature* **251**, 315 – 316.
- Wedell, N., Gage, M. J. G. & Parker, G. A. (2002) Sperm competition, male prudence and sperm-limited females. *Trends in Ecology and evolution* **17**, 313-320.
- Weis, J. (2010). The role of behavior in the success of invasive crustaceans. *Marine and Freshwater Behaviour and Physiology* **43**, 83-98.
- Weiss, B. (1997) Pesticides as a source of developmental disabilities. *Mental retardation and developmental disabilities research reviews* **3**, 246-256.
- Weissel, N., Mitesser, O., Poethke, H.-J. & Strohm, E. (2012). Availability and depletion of fat reserves in halictid foundress queens with a focus on solitary nest founding. *Insectes Sociaux* **59**, 67–74. doi:10.1007/s00040-011-0189-3
- Weiss-Lehman, C., Hufbauer, R.A. & Melbourne, B.A. (2017) Rapid trait evolution drives increased speed and variance in experimental range expansions. *Nature Communications* **8**, 14303. doi:10.1038/ncomms14303
- Wehner, R. & Menzel, R. (1990) Do insects have cognitive maps? *Annual Reviews of Neuroscience* **13**, 403-414.
- Wen, P., Cheng, Y.-N., Dong, S.-H., Wang, Z.-W., Tan, K. & Nieh, J.C. (2017) The sex pheromone of a globally invasive honey bee predator, the Asian eusocial hornet, *Vespa velutina*. *Scientific Reports* **7**. doi:10.1038/s41598-017-13509-7
- Wenzel, W. (1987) *Ropalidia formosa*, a Nearly Solitary Paper Wasp from Madagascar (Hymenoptera: Vespidae). *Journal of the Kansas Entomological Society* **60**, 549-556.
- West-Eberhard, M.J. (1969) The social biology of polistine wasps: Non reproductive helpers without altruism? *Science* **200**, 441-443.
- Wheeler, D.E. & Krutzsch, P.H. (1992) Internal reproductive system in adult males of the Genus *camponotus* (Hymenoptera: Formicidae: Formicinae). *Journal of Morphology* **211**, 307–317.
- Whorton, D., Krauss, R., Marshall, S. & Milby, T. (1977) Infertility in male pesticide workers. *The Lancet* **2**, Issue 8051 310, 1259–1261. doi:10.1016/S0140-6736(77)92665-4
- Williams, N.M. & Kremen, C. (2007) Resource distributions among habitats determine solitary bee offspring production in a mosaic landscape. *Ecological Applications* **17**, 910-921.
- Williamson, M. (1996) Biological invasions. Chapman and Hall, London, UK.
- Wilson, D.S. (1975) A theory of group selection. *PNAS* **72**, 143–146.

Références

- Wilson, J.R.U., Ajuonu, O., Center, T.D., Hill, M.P., Julien, M.H., Katagira, F.F., Neuenschwander, P., Njoka, S.W., Ogwang, J., Reeder, R.H. & Van, T. (2007) The decline of water hyacinth on Lake Victoria was due to biological control by *Neochetina spp.* *Aquatic Botany* **87**, 90–93. doi:10.1016/j.aquabot.2006.06.006.
- Witt, R. (2015) Erstfund eines Nestes der Asiatischen Hornisse *Vespa velutina* Lepeletier, 1838 in Deutschland und Details zum Nestbau (Hymenoptera, Vespinae). *Ampulex* **7**, 42–53.
- Wojcik, D.P. (1994). Impact of the red imported fire ant on native ant species in Florida. In Exotic ants biology, impact, and control of introduced species, ed. D. F. Williams. Westview Press, Boulder, CO, pp 269-81.
- Wolf, S. & Moritz, R.F.A. (2008) Foraging distance in *Bombus terrestris* L. (Hymenoptera: Apidae). *Apidologie* **39**, 419–427. doi:10.1051/apido:2008020.
- Wolf, S., McMahon, D.P., Lim, K.S., Pull, C.D., Clark, S.J., Paxton, R.J. & Osborne, J.L. (2014) So near and yet so far: harmonic radar reveals reduced homing ability of *Nosema* infected honeybees. *PLoS ONE* **9**, e103989. doi:10.1371/journal.pone.0103989.
- Wraight, S.P. & Roberts, D.W. (1987) Insect control efforts with fungi. Developments in industrial microbiology. Society for industrial microbiology. General meeting. 43, San Francisco (1986) 1987, vol. 28, pp. 77-87.
- Xu, J.V. & Wang, Q. (2009) Male moths undertake both pre- and in-copulation mate choice based on female age and weight. *Behavioral Ecology and Sociobiology* **63**, 801-808. doi:10.1007/s00265-009-0713-x
- Yamagishi, M., Itô, Y. & Tsubaki, Y. (1992) Sperm competition in the melon fly, *Bactrocera cucurbitae* (Diptera: Tephritidae): Effects of sperm “longevity” on sperm precedence. *Journal of Insect Behavior* **5**, 599-608.
- Yamane, S. (1976) Morphological and taxonomic studies on vespine larvae, with reference to the phylogeny of the subfamily vespinae (Hymenoptera: vespidae). *Insecta matsumurana. Series entomology. New series* **8**, 1-45.
- Yamane, S. & Makino, S. (1977). Bionomics of *Vespa analis insularis* and *V. mandarinia latilineata* in Hokkaido, northern Japan, with notes on Vespine embryo nests (Hymenoptera: vespidae). *Insecta Matsumurana* **12**, 3–27.
- Zayed, A., Roubik, D.W. & Packer, L. (2004) Use of diploid male frequency data as an indicator of pollinator decline. *Proceedings of the Royal Society of London B: Biological Sciences* **271**, S9–S12.
- Zeil, J. (1993) Orientation flights of solitary wasps (Cerceris; Sphecidae; Hymenoptera). *Journal of Comparative Physiology A* **172**, 189-20
- Zolan, M.E. & Pukkila, P.J. (1986) Inheritance of DNA methylation in *Coprinus cinereus*. *Mol. Cell. Biol.* **6**, 195–200. doi:10.1128/MCB.6.1.195